# Introduction to MATLAB –

# exercises with some example solutions for supervisors

## Markus Kuhn

### Michaelmas 2006

Exercise 1 Find a short MATLAB expression to build the matrix

$$B = \left(\begin{array}{ccccccc} 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 9 & 7 & 5 & 3 & 1 & -1 & -3 \\ 4 & 8 & 16 & 32 & 64 & 128 & 256 \end{array}\right)$$

#### Example solution:

 $b = [1:7; 9:-2:-3; 2.^{(2:8)}]$ 

Exercise 2 Give a MATLAB expression that uses only a single matrix multiplication with B to obtain

- (a) the sum of columns 5 and 7 of B
- (b) the last row of B
- (c) a version of B with rows 2 and 3 swapped

#### Example solution:

- (a) b \* [0 0 0 0 1 0 1] '
- (b)  $[0\ 0\ 1] * b$
- (c) [1 0 0; 0 0 1; 0 1 0] \* b

Exercise 3 Give a MATLAB expression that multiplies two vectors to obtain

(a) the matrix 
$$\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 1 & 2 & 3 & 4 & 5 \\ 1 & 2 & 3 & 4 & 5 \end{pmatrix}$$
 (b) the matrix  $\begin{pmatrix} 0 & 0 & 0 \\ 1 & 1 & 1 \\ 2 & 2 & 2 \\ 3 & 3 & 3 \\ 4 & 4 & 4 \end{pmatrix}$ 

#### Example solution:

- (a) [1 1 1] ' \* (1:5)
- (b) (0:4) \* [1 1 1]

Exercise 4 Modify slide 17 to produce tones of falling frequency instead.

1

#### Example solution:

Replace

f = fmin \* (fmax/fmin) .^ 1;
with

f = fmax \* (fmin/fmax) .^ 1;

Exercise 5 (a) Write down the function g(t) that has the shape of a sine wave that increases linearly in frequency from 0 Hz at t = 0 s to 5 Hz at t = 10 s.

- (b) Plot the graph of this function using MATLAB's plot command.
- (c) Add to the same figure (this can be achieved using the hold command) in a different colour a graph of the same function sampled at 5 Hz, using the stem command.
- (d) Plot the graph from (c) separately. Try to explain its symmetry (hint: sampling theorem, aliasing).

#### Example solution:


(a) The instantaneous frequency of function g(t) at time t is

$$f(t) = t \cdot \frac{5 \text{ Hz}}{10 \text{ s}} = \frac{t}{2 \text{ s}^2}$$

and since the phase of a sine wave is  $2\pi$  times the integrated frequency so far, we get


$$g(t) = \sin\left(2\pi \int_0^t f(t') dt'\right) = \sin\left(2\pi \frac{t^2}{4 s^2}\right) = \sin\left(\frac{\pi t^2}{2 s^2}\right)$$

(b+c)



(d) A sine wave with a frequency f larger than half the sampling frequency  $f_s$  cannot be distinguished based on the sample values from a sine wave of frequency  $f_s - f$ . In other words, the sample values would have looked the same had we replaced the instantaneous frequency f(t) with  $f_s/2 - |f_s/2 - f(t)|$ , and the latter is symmetric around  $f_s/2$ , which is in this graph 2.5 Hz and occurs at t = 5 s.

The above is of course just a hand-waving argument, but shall be sufficient for this exercise. There are actually a few more conditions fulfilled here that lead to the exact symmetry of the plot. Firstly, since we started sampling at t=0 s with  $f_{\rm s}=5$  Hz, the positions of the sample values end up being symmetric around t=5 s. Secondly, at the symmetry point t=5 s, the sine wave was at a symmetric peak from where increasing or decreasing the phase has the same result.



Exercise 6 Use MATLAB to write an audio waveform (8 kHz sampling frequency) that contains a sequence of nine tones with frequencies 659, 622, 659, 622, 659, 494, 587, 523, and 440 Hz. Then add to this waveform a copy of itself in which every other sample has been multiplied by -1. Play the waveform, write it to a WAV file, and use the specgram command to plot its spectrogram with correctly labelled time and frequency axis.

### Example solution:

```
f = [659 622 659 622 659 494 587 523 440];
fs = 8000;  % sampling frequency
d = 0.5;  % duration per tone
t = 0:1/fs:d-1/fs;
w = sin(2 * pi * f' * t)/2;
w = w'; w = w(:)';
w = [w, w .* (mod((1:length(w)), 2) * 2 - 1)];
wavwrite(w, fs, 16, 'matlab_answer-2.wav');
specgram(w, [], fs);
```

