

~ Topic VII ~

Data abstraction and modularity SML Modules^a

References:

- ◆ Chapter 7 of *ML for the working programmer* (2ND EDITION) by L. C. Paulson. CUP, 1996.

^aLargely based on an *Introduction to SML Modules* by Claudio Russo
<<http://research.microsoft.com/~crusso>>.

- ◆ *The Standard ML Basis Library* edited by E. R. Gansner and J. H. Reppy. CUP, 2004.

[A useful introduction to SML standard libraries, and a good example of modular programming.]

- ◆ [<http://www.standardml.org/>](http://www.standardml.org/)

The Core and Modules languages

SML consists of two sub-languages:

- ◆ The *Core* language is for *programming in the small*, by supporting the definition of types and expressions denoting values of those types.
- ◆ The *Modules* language is for *programming in the large*, by grouping related Core definitions of types and expressions into self-contained units, with descriptive interfaces.

The *Core* expresses details of *data structures* and *algorithms*. The *Modules* language expresses *software architecture*. Both languages are largely independent.

The Modules language

Writing a real program as an unstructured sequence of Core definitions quickly becomes unmanageable.

```
type nat = int
val zero = 0
fun succ x = x + 1
fun iter b f i =
    if i = zero then b
      else f (iter b f (i-1))
...
(* thousands of lines later *)
fun even (n:nat) = iter true not n
```

The SML Modules language lets one split large programs into separate units with descriptive interfaces.

SML Modules

Signatures and structures

An *abstract data type* is a type equipped with a set of operations, which are the only operations applicable to that type.

Its representation can be changed without affecting the rest of the program.

- ◆ *Structures* let us *package* up declarations of related types, values, and functions.
- ◆ *Signatures* let us *specify* what components a structure must contain.

Structures

In Modules, one can encapsulate a sequence of Core type and value definitions into a unit called a *structure*.

We enclose the definitions in between the keywords

```
struct ... end.
```

Example: A structure representing the natural numbers, as positive integers.

```
struct
  type nat = int
  val zero = 0
  fun succ x = x + 1
  fun iter b f i = if i = zero then b
                   else f (iter b f (i-1))
end
```

The dot notation

One can name a structure by binding it to an identifier.

```
structure IntNat =  
  struct  
    type nat = int  
    ...  
    fun iter b f i = ...  
  end
```

Components of a structure are accessed with the *dot notation*.

```
fun even (n:IntNat.nat) = IntNat.iter true not n
```

NB: Type `IntNat.nat` is statically equal to `int`. Value `IntNat.iter` dynamically evaluates to a closure.

Nested structures

Structures can be nested inside other structures, in a hierarchy.

```
structure IntNatAdd =  
  struct  
    structure Nat = IntNat  
    fun add n m = Nat.iter m Nat.succ n  
  end  
  ...  
fun mult n m =  
  IntNatAdd.Nat.iter IntNatAdd.Nat.zero (IntNatAdd.add m) n
```

The dot notation (`IntNatAdd.Nat`) accesses a nested structure.

Sequencing dots provides deeper access (`IntNatAdd.Nat.zero`).

Nesting and dot notation provides *name-space* control.

Concrete signatures

Signature expressions specify the types of structures by listing the specifications of their components.

A signature expression consists of a *sequence* of component specifications, enclosed in between the keywords `sig ... end`.

```
sig type nat = int
    val zero : nat
    val succ : nat -> nat
    val 'a iter : 'a -> ('a->'a) -> nat -> 'a
end
```

This signature fully describes the *type* of `IntNat`.

The specification of type `nat` is *concrete*: it must be `int`.

Opaque signatures

On the other hand, the following signature

```
sig type nat  
  val zero : nat  
  val succ : nat -> nat  
  val 'a iter : 'a -> ('a->'a) -> nat -> 'a  
end
```

specifies structures that are free to use *any* implementation for type `nat` (perhaps `int`, or `word`, or some recursive datatype).

This specification of type `nat` is *opaque*.

Example: Polymorphic functional stacks.

```
signature STACK =
sig
  exception E
  type 'a reptype    (* <-- INTERNAL REPRESENTATION *)
  val new: 'a reptype
  val push: 'a -> 'a reptype -> 'a reptype
  val pop: 'a reptype -> 'a reptype
  val top: 'a reptype -> 'a
end ;
```

```
structure MyStack: STACK =  
struct  
  exception E ;  
  type 'a reptype = 'a list ;  
  val new = [] ;  
  fun push x s = x::s ;  
  fun split( h::t ) = ( h , t )  
    | split _ = raise E ;  
  fun pop s = #2( split s ) ;  
  fun top s = #1( split s ) ;  
end ;
```

```
val MyEmptyStack = MyStack.new ;  
val MyStack0 = MyStack.push 0 MyEmptyStack ;  
val MyStack01 = MyStack.push 1 MyStack0 ;  
val MyStack0' = MyStack.pop MyStack01 ;  
MyStack.top MyStack0' ;
```

```
val MyEmptyStack = [] : 'a MyStack.reptype  
val MyStack0 = [0] : int MyStack.reptype  
val MyStack01 = [1,0] : int MyStack.reptype  
val MyStack0' = [0] : int MyStack.reptype  
val it = 0 : int
```

Named and nested signatures

Signatures may be *named* and referenced, to avoid repetition:

```
signature NAT =  
  sig type nat  
    val zero : nat  
    val succ : nat -> nat  
    val 'a iter : 'a -> ('a->'a) -> nat -> 'a  
  end
```

Nested signatures specify named sub-structures:

```
signature Add =  
  sig structure Nat: NAT (* references NAT *)  
    val add: Nat.nat -> Nat.nat -> Nat.nat  
  end
```

Signature inclusion

To avoid nesting, one can also directly `include` a signature identifier:

```
sig include NAT  
    val add: nat -> nat -> nat  
end
```

NB: This is equivalent to the following signature.

```
sig type nat  
    val zero: nat  
    val succ: nat -> nat  
    val 'a iter: 'a -> ('a -> 'a) -> nat -> 'a  
    val add: nat -> nat -> nat  
end
```

Signature matching

Q: When does a structure satisfy a signature?

A: The type of a structure *matches* a signature whenever it implements at least the components of the signature.

- The structure must *realise* (i.e. define) all of the opaque type components in the signature.
- The structure must *enrich* this realised signature, component-wise:
 - ★ every concrete type must be implemented equivalently;
 - ★ every specified value must have a more general type scheme;
 - ★ every specified structure must be enriched by a substructure.

Properties of signature matching

- ◆ The components of a structure can be defined in a different order than in the signature; names matter but ordering does not.
- ◆ A structure may contain more components, or components of more general types, than are specified in a matching signature.
- ◆ Signature matching is *structural*. A structure can match many signatures and there is no need to pre-declare its matching signatures (unlike “interfaces” in Java and C#).
- ◆ Although similar to record types, signatures actually play a number of different roles.

Subtyping

Signature matching supports a form of *subtyping* not found in the Core language:

- ◆ A structure with more type, value, and structure components may be used where fewer components are expected.
- ◆ A value component may have a more general type scheme than expected.

Using signatures to restrict access

The following structure uses a *signature constraint* to provide a restricted view of `IntNat`:

```
structure ResIntNat =  
  IntNat : sig type nat  
            val succ : nat->nat  
            val iter : nat->(nat->nat)->nat->nat  
          end
```

NB: The constraint `str:sig` prunes the structure `str` according to the signature `sig`:

- ◆ `ResIntNat.zero` is *undefined*;
- ◆ `ResIntNat.iter` is *less* polymorphic than `IntNat.iter`.

Transparency of `_ : _`

Although the `_ : _` operator can hide names, it does not conceal the definitions of opaque types.

Thus, the fact that `ResIntNat.nat = IntNat.nat = int` remains *transparent*.

For instance the application `ResIntNat.succ(~3)` is still well-typed, because `~3` has type `int` ... but `~3` is negative, so not a valid representation of a natural number!

SML Modules

Information hiding

In SML, we can limit outside access to the components of a structure by *constraining* its signature in *transparent* or *opaque* manners.

Further, we can *hide* the representation of a type by means of an *abstype* declaration.

The combination of these methods yields *abstract structures*.

Using signatures to hide the identity of types

With different syntax, signature matching can also be used to enforce *data abstraction*:

```
structure AbsNat =  
  IntNat :> sig type nat  
              val zero: nat  
              val succ: nat->nat  
              val 'a iter: 'a->('a->'a)->nat->'a  
            end
```

The constraint `str :> sig` prunes `str` but also generates a new, *abstract* type for each opaque type in `sig`.

- ◆ The actual implementation of `AbsNat.nat` by `int` is *hidden*, so that `AbsNat.nat` \neq `int`.

`AbsNat` is just `IntNat`, but with a hidden type representation.

- ◆ `AbsNat` defines an *abstract datatype* of natural numbers: the only way to construct and use values of the abstract type `AbsNat.nat` is through the operations, `zero`, `succ`, and `iter`.

E.g., the application `AbsNat.succ(~3)` is ill-typed: `~3` has type `int`, not `AbsNat.nat`. This is what we want, since `~3` is not a natural number in our representation.

In general, abstractions can also prune and specialise components.

1. Opaque signature constraints

```
structure MyOpaqueStack :> STACK = MyStack ;
```

```
val MyEmptyOpaqueStack = MyOpaqueStack.new ;
```

```
val MyOpaqueStack0 = MyOpaqueStack.push 0 MyEmptyOpaqueStack ;
```

```
val MyOpaqueStack01 = MyOpaqueStack.push 1 MyOpaqueStack0 ;
```

```
val MyOpaqueStack0' = MyOpaqueStack.pop MyOpaqueStack01 ;
```

```
MyOpaqueStack.top MyOpaqueStack0' ;
```

```
val MyEmptyOpaqueStack = - : 'a MyOpaqueStack.reptype
```

```
val MyOpaqueStack0 = - : int MyOpaqueStack.reptype
```

```
val MyOpaqueStack01 = - : int MyOpaqueStack.reptype
```

```
val MyOpaqueStack0' = - : int MyOpaqueStack.reptype
```

```
val it = 0 : int
```


2. abstypes

```
structure MyHiddenStack: STACK =
struct
  exception E ;
  abstype 'a retype = S of 'a list (* <-- HIDDEN *)
  with (* REPRESENTATION *)
    val new = S [] ;
    fun push x (S s) = S( x::s ) ;
    fun pop( S [] ) = raise E
      | pop( S(_::t) ) = S( t ) ;
    fun top( S [] ) = raise E
      | top( S(h::_) ) = h ;
  end ;
end ;
```

```
val MyHiddenEmptyStack = MyHiddenStack.new ;
val MyHiddenStack0 = MyHiddenStack.push 0 MyHiddenEmptyStack ;
val MyHiddenStack01 = MyHiddenStack.push 1 MyHiddenStack0 ;
val MyHiddenStack0' = MyHiddenStack.pop MyHiddenStack01 ;
MyHiddenStack.top MyHiddenStack0' ;
```

```
val MyHiddenEmptyStack = - : 'a MyHiddenStack.reptype
val MyHiddenStack0 = - : int MyHiddenStack.reptype
val MyHiddenStack01 = - : int MyHiddenStack.reptype
val MyHiddenStack0' = - : int MyHiddenStack.reptype
val it = 0 : int
```

SML Modules

Functors

- ◆ An SML *functor* is a structure that takes other structures as parameters.
- ◆ Functors let us write program units that can be combined in different ways. Functors can also express generic algorithms.

Functors

Modules also supports *parameterised structures*, called *functors*.

Example: The functor `AddFun` below takes any implementation, `N`, of naturals and re-exports it with an addition operation.

```
functor AddFun(N:NAT) =  
  struct  
    structure Nat = N  
    fun add n m = Nat.iter n (Nat.succ) m  
  end
```

- ◆ A functor is a *function* mapping a formal argument structure to a concrete result structure.
- ◆ The body of a functor may assume no more information about its formal argument than is specified in its signature.

In particular, opaque types are treated as distinct type parameters.

Each actual argument can supply its own, independent implementation of opaque types.

Functor application

A functor may be used to create a structure by *applying* it to an actual argument:

```
structure IntNatAdd = AddFun(IntNat)
```

```
structure AbsNatAdd = AddFun(AbsNat)
```

The actual argument must match the signature of the formal parameter—so it can provide more components, of more general types.

Above, `AddFun` is applied twice, but to arguments that differ in their implementation of type `nat` (`AbsNat.nat` \neq `IntNat.nat`).

Example: Generic imperative stacks.

```
signature STACK =  
  sig  
    type itemtype  
    val push: itemtype -> unit  
    val pop: unit -> unit  
    val top: unit -> itemtype  
  end ;
```

```
exception E ;
functor Stack( T: sig type atype end ) : STACK =
struct
  type itemtype = T.atype
  val stack = ref( []: itemtype list )
  fun push x
    = ( stack := x :: !stack )
  fun pop()
    = case !stack of [] => raise E
      | _::s => ( stack := s )
  fun top()
    = case !stack of [] => raise E
      | t::_ => t
end ;
```



```
structure intStack
  = Stack(struct type atype = int end) ;
```

```
structure intStack : STACK
```

```
intStack.push(0) ;
```

```
intStack.top() ;
```

```
intStack.pop() ;
```

```
intStack.push(4) ;
```

```
val it = () : unit
```

```
val it = 0 : intStack.itemtype
```

```
val it = () : unit
```

```
val it = () : unit
```

```
map ( intStack.push ) [3,2,1] ;  
map ( fn _ => let val top = intStack.top()  
              in intStack.pop(); top end )  
      [(),(),(),()] ;
```

```
val it = [(),(),()] : unit list
```

```
val it = [1,2,3,4] : intStack.itemtype list
```

Why functors ?

Functors support:

Code reuse.

`AddFun` may be applied many times to different structures, reusing its body.

Code abstraction.

`AddFun` can be compiled before any argument is implemented.

Type abstraction.

`AddFun` can be applied to different types `N.nat`.