


# Java Class Library

- Java the platform contains around 4,000 classes/interfaces
  - Data Structures
  - Networking, Files
  - Graphical User Interfaces
  - Security and Encryption
  - Image Processing
  - Multimedia authoring/playback
  - And more...
- All neatly(ish) arranged into packages (see API docs)

# Java's Collections Framework




- Important chunk of the class library
- A collection is some sort of grouping of things (objects)
- Usually when we have some grouping we want to go through it ("**iterate** over it")
- The Collections framework has two main interfaces: **Iterable** and **Collections**. They define a set of operations that all classes in the Collections framework support
- `add(Object o)`, `clear()`, `isEmpty()`, etc.

# Major Collections Interfaces I


- **<<interface>> Set**

- Like a mathematical set in DM 1
- A collection of elements with no duplicates
- Various concrete classes like TreeSet (which keeps the set elements sorted)




- **<<interface>> List**

- An ordered collection of elements that may contain duplicates
- ArrayList, Vector, LinkedList, etc.



- **<<interface>> Queue**


- An ordered collection of elements that may contain duplicates and supports removal of elements from the head of the queue
- PriorityQueue, LinkedList, etc.



# Major Collections Interfaces II

- `<<interface>> Map`

- Like relations in DM 1, or dictionaries in ML
- Maps key objects to value objects
- Keys must be unique
- Values can be duplicated and (sometimes) null.



# Iteration

- for loop

```
LinkedList list = new LinkedList();  
...  
for (int i=0; i<list.size(); i++) {  
    Object next = list.get(i);  
}           
```

- foreach loop (Java 5.0+)

```
LinkedList list = new LinkedList();  
...  
for (Object o : list) {  
}  
  
list = new LinkedList<Integer>  
for(Integer i : list)
```

# Iterators

- What if our loop changes the structure?

```
for (int i=0; i<list.size(); i++) {  
    if (i==3) list.remove(i);  
}
```

- Java introduced the Iterator class

```
Iterator it = list.iterator();  
  
while(it.hasNext()) {Object o = it.next();}  
  
for (; it.hasNext(); ) {Object o = it.next();}
```

- Safe to modify structure

```
while(it.hasNext()) {  
    it.remove();  
}
```

# Collections and Types I

```
// Make a TreeSet object  
TreeSet ts = new TreeSet();
```

```
// Add integers to it  
ts.add(new Integer(3));
```

---

```
// Loop through  
iterator it = ts.iterator();  
while(it.hasNext()) {  
    Object o = it.next();  
    Integer i = (Integer)o;  
}
```

- The original Collections framework just dealt with collections of Objects
  - Everything in Java “is-a” Object so that way our collections framework will apply to any class
  - But this leads to:
    - Constant casting of the result (ugly)
    - The need to know what the return type is
    - Accidental mixing of types in the collection


# Collections and Types II

```
// Make a TreeSet object
TreeSet ts = new TreeSet();

// Add integers to it
ts.add(new Integer(3));
ts.add(new Person("Bob"));

// Loop through
iterator it = ts.iterator();
while(it.hasNext()) {
    Object o = it.next();
    Integer i = (Integer)o;
}
```

Going to fail for the  
second element!  
(But it will compile:  
the error will be at  
runtime)





# Java Generics

- To help solve this sort of problem, Java introduced *Generics* in JDK 1.5
- Basically, this allows us to tell the compiler what is supposed to go in the Collection
- So it can generate an error at compile-time, not run-time

```
// Make a TreeSet of Integers
```

```
TreeSet<Integer> ts = new TreeSet<Integer>();
```

```
// Add integers to it
```

```
ts.add(new Integer(3)); ✓
```

```
ts.add(new Person("Bob"));
```

Won't even compile

```
// Loop through
```

```
iterator<Integer> it = ts.iterator();
```

```
while(it.hasNext()) {
```

```
    Integer i = it.next();
```

```
}
```

No need to cast :-)

# Generics Declaration and Use


```
public class Coordinate <T> {  
    private T mX;  
    private T mY;  
  
    public Coordinate(T x, T y) {  
        mX=x; mY=y;  
    }  
  
    public T getX() { return mX; }  
    public T getY() { return mY; }  
}
```

Think of this  
as getting  
replaced

```
Coordinate<Double> c =  
    New Coordinate<Double>(1.0,1.0);
```

```
Double d = c.getX();
```

# Generics and SubTyping



```
// Object casting
Person p = new Person();
Animal o = (Animal) p;
```



```
// List casting
List<Person> plist = new LinkedList<Person>();
List<Animal> alist = (List<Animal>)plist;
```



So a list of **Persons** is a list of **Animals**, yes?

```
alist.add(new Hippo());
```

will not compile

A red arrow points from the handwritten text 'will not compile' to the list casting code above, indicating that the code will not compile.

## Section: Comparing Java Classes

# Comparing Primitives

> Greater Than

>= Greater than or equal to

== Equal to

!= Not equal to

< Less than

<= Less than or equal to

- Clearly compare the value of a primitive
- But what does `(ref1==ref2)` do??
  - Test whether they point to the same object?
  - Test whether the objects they point to have the same state?

# Option 1: a==b, a!=b

- These compare the *references directly*

```
Person p1 = new Person("Bob");  
Person p2 = new Person("Bob");
```

```
(p1==p2);
```

False (references differ)

```
(p1!=p2);
```

True (references differ)

```
(p1==p1);
```

True

# Option 2: The equals() Method

- Object defines an equals() method. By default, this method just does the same as ==.
  - Returns boolean, so can only test equality
  - Override it if you want it to do something different
  - Most (all?) of the core Java classes have properly implemented equals() methods

```
public EqualsTest {
    public int x = 8;

    public boolean equals(Object o) {
        EqualsTest e = (EqualsTest)o;
        return (this.x==e.x);
    }

    public static void main(String args[]) {
        · EqualsTest t1 = new EqualsTest();
        · EqualsTest t2 = new EqualsTest();
        System.out.println(t1==t2);
        System.out.println(t1.equals(t2));
    }
}
```