Lecture 11: Computational Psycholinguistics

Paula Buttery

Dept of Theoretical & Applied Linguistics, University of Cambridge

Paula Buttery (DTAL)

3

イロト 不得 トイヨト イヨト

Psycholinguistics is concerned with:

- how we acquire, comprehend and produce language;
- understanding how language is stored and processed in the brain.

イロト 不得下 イヨト イヨト

Psycholinguistics is concerned with:

- how we acquire, comprehend and produce language;
- understanding how language is stored and processed in the brain.


イロト 不得下 イヨト イヨト

Example research questions in psycholinguistics: Morphology

How are words organised in the brain?

Full listing:

cat	cat + N + Sing
cats	cat + N + PL
hope	hope + V
hopes	hope + V + 3P + Sing
fox	fox + N + Sing
fox	fox + V
foxes	fox + N + PL
foxes	fox + V + 3P + Sing
foxed	fox + V + PastPart



イロト 不得下 イヨト イヨト

Example research questions in psycholinguistics: Morphology

How are words organised in the brain?

Full listing:

cat	cat + N + Sing
cats	cat + N + PL
hope	hope + V
hopes	hope + V + 3P + Sing
fox	fox + N + Sing
fox	fox + V
foxes	fox + N + PL
foxes	fox + V + 3P + Sing
foxed	fox + V + PastPart

Minimum redundancy:

	cat	Ν
	hope	V
VS.	fox	Ν
	fox	V
	^s	+PL
	^s	+3P + Sing
	^ed	+PastPart

(日) (周) (三) (三)

Syntactic complexity: What makes a sentence difficult to process?

- The cat the dog licked ran away
- The cat the dog the rat chased licked ran away
- The fact that the employee who the manager hired stole office supplies worried the executive Complement clause then relative clause
- The executive who the fact that the employee stole office supplies worried hired the manager Relative clause then complement clause
 T. Gibson

- **(1))) (1))))))**

Syntactic complexity: What makes a sentence difficult to process?

- The cat the dog licked ran away
- The cat the dog the rat chased licked ran away
- The fact that the employee who the manager hired stole office supplies worried the executive Complement clause then relative clause
- The executive who the fact that the employee stole office supplies worried hired the manager Relative clause then complement clause
 - T. Gibson

・ 何 ト ・ ヨ ト ・ ヨ ト

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

Parsing: How does the brain perform parse disambiguation?

 Choosing from multiple parses: He saw the boy with the telescope. (He saw (the boy with the telescope)) vs. ((He saw the boy) with the telescope)

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

(He saw (the boy with the telescope))

VS.

((He saw the boy) with the telescope)

• Online parsing ambiguity:

The student forgot the solution

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

(He saw (the boy with the telescope))

VS.

((He saw the boy) with the telescope)

• Online parsing ambiguity:

The student forgot the solution was

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

(He saw (the boy with the telescope))

VS.

((He saw the boy) with the telescope)

• Online parsing ambiguity:

The student forgot the solution was in

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

(He saw (the boy with the telescope))

VS.

((He saw the boy) with the telescope)

• Online parsing ambiguity:

The student forgot the solution was in the

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

(He saw (the boy with the telescope))

VS.

((He saw the boy) with the telescope)

• Online parsing ambiguity:

The student forgot the solution was in the back

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

(He saw (the boy with the telescope))

VS.

((He saw the boy) with the telescope)

• Online parsing ambiguity:

The student forgot the solution was in the back of

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

(He saw (the boy with the telescope))

VS.

((He saw the boy) with the telescope)

• Online parsing ambiguity:

The student forgot the solution was in the back of the

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

(He saw (the boy with the telescope))

VS.

((He saw the boy) with the telescope)

• Online parsing ambiguity:

The student forgot the solution was in the back of the book.

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

(He saw (the boy with the telescope))

VS.

((He saw the boy) with the telescope)

• Online parsing ambiguity:

The student forgot the solution was in the back of the book.

• Strong garden path effect: The horse raced past the barn

Parsing: How does the brain perform parse disambiguation?

• Choosing from multiple parses:

He saw the boy with the telescope.

(He saw (the boy with the telescope))

VS.

((He saw the boy) with the telescope)

• Online parsing ambiguity:

The student forgot the solution was in the back of the book.

• Strong garden path effect:

The horse raced past the barn fell.

In what manner is word meaning stored in the brain?

For concepts (nouns):

- Decompositional feature based model: bird: +feathers +fly +beak what shall we use as features?
- prototype theory (canonical examples)
 bird: crow (rather than penguin)
 but what about women fire and dangerous things'
- exemplar theory (multiple good examples)
 bird: {crow, parrot, sparrow}
- Semantic networks (is-a or has-a)
 bird: is-a animal, has-a feathers

For other words:

In what manner is word meaning stored in the brain?

For concepts (nouns):

- Decompositional feature based model:
 bird: +feathers +fly +beak
 what shall we use as features?
- prototype theory (canonical examples)
 bird: crow (rather than penguin)
 but what about women fire and dangerous things?
- exemplar theory (multiple good examples)
 bird: {crow, parrot, sparrow}
- Semantic networks (is-a or has-a) **bird:** is-a animal, has-a feathers ...

For other words:

In what manner is word meaning stored in the brain?

For concepts (nouns):

- Decompositional feature based model:
 bird: +feathers +fly +beak
 what shall we use as features?
- prototype theory (canonical examples)
 bird: crow (rather than penguin)
 but what about women fire and dangerous things?
- exemplar theory (multiple good examples)
 bird: {crow, parrot, sparrow}
- Semantic networks (is-a or has-a) **bird:** is-a animal, has-a feathers ...

For other words:

In what manner is word meaning stored in the brain?

For concepts (nouns):

- Decompositional feature based model:
 bird: +feathers +fly +beak
 what shall we use as features?
- prototype theory (canonical examples)
 bird: crow (rather than penguin)
 but what about women fire and dangerous things?
- exemplar theory (multiple good examples)
 bird: {crow, parrot, sparrow}
- Semantic networks (is-a or has-a)
 bird: is-a animal, has-a feathers ...

For other words:

In what manner is word meaning stored in the brain?

For concepts (nouns):

- Decompositional feature based model:
 bird: +feathers +fly +beak
 what shall we use as features?
- prototype theory (canonical examples)
 bird: crow (rather than penguin)
 but what about women fire and dangerous things?
- exemplar theory (multiple good examples)
 bird: {crow, parrot, sparrow}
- Semantic networks (is-a or has-a)
 bird: is-a animal, has-a feathers ...

For other words:

Psycholinguists use a range of methodologies

Questionnaires

- Rating experiments
 - e.g. how do you rate the grammaticality of this sentence?
- Self evaluations
 - e.g. how were you carrying out the task?
- Discovering participant knowledge of the task

・ 何 ト ・ ヨ ト ・ ヨ ト

Observations

- Study of speech errors
- Study of the language of aphasics
- Study of language acquisition

Speech Error Data

A (10) F (10)

Observations

- Study of speech errors
- Study of the language of aphasics
- Study of language acquisition

Speech Error Data

• It's not only us who have screw looses.

Observations

- Study of speech errors
- Study of the language of aphasics
- Study of language acquisition

Speech Error Data

• It's not only us who have screw looses. (screws loose)

Observations

- Study of speech errors
- Study of the language of aphasics
- Study of language acquisition

Speech Error Data


- It's not only us who have screw looses. (screws loose)
- He has already trunked two packs.

Observations

- Study of speech errors
- Study of the language of aphasics
- Study of language acquisition


Speech Error Data

- It's not only us who have screw looses. (screws loose)
- He has already trunked two packs. (packed two trunks)



Copyright @ 1983 by Lea & Febiger

イロト イポト イヨト イヨト



Copyright @ 1983 by Lea & Febiper

イロト イポト イヨト イヨト

Language Acquisition Data


• Brown's stages:	Stage 2	(2.0–2.5)	-s plurals
	Stage 3	(2.5-3.0)	's possessive
	Stage 4	(3.0–3.75)	regular past tense
	Stage 5	(3.75–4.5)	irregular 3rd person verbs
			(dos $ ightarrow$ does, haves $ ightarrow$ has)
The second			•

• The wug test


3

(日) (周) (三) (三)

Jean Berko-Gleason designed the Wug Test




Jean Berko-Gleason designed the Wug Test



- This is a man who knows how to **SPOW**.
- He is **SPOWING**. He did the same thing yesterday.

・ロト ・聞ト ・ヨト ・ヨト

Jean Berko-Gleason designed the Wug Test



- This is a man who knows how to SPOW.
- He is **SPOWING**. He did the same thing yesterday.

(日) (周) (三) (三)

• Yesterday he

Psycholinguists use a range of methodologies cont.

Questionnaires

- Rating experiments
- Self evaluations

Observations

- Study of speech errors
- Study of the language of aphasics
- Study of language acquisition

Experimental observation as a response to stimulus

- Measurement of brain response
- Measurement of reading times
- Measurement of reaction time to a linguistic task

イロト イポト イヨト イヨト

Psycholinguists use a range of methodologies cont.

Questionnaires

- Rating experiments
- Self evaluations

Observations

- Study of speech errors
- Study of the language of aphasics
- Study of language acquisition

Experimental observation as a response to stimulus

- Measurement of brain response
- Measurement of reading times
- Measurement of reaction time to a linguistic task

< (17) > < (17) > (17)

Brain responses may be measured by several methods

EEG




MEG



- High temporal resolution
- Problematic spatial resolution

Brain responses may be measured by several methods

fMRI



- BOLD (Blood-oxygen-level dependent) response—measures the change in magnetization between oxygen-rich and oxygen-poor blood.
- High spatial resolution
- Low temporal resolution

Measuring reading and reacting times

Eye tracking




Button Pressing

- Self paced reading
- Completion of a task (e.g. a lexical decision task)

For all reaction time experiments we assume that the time taken to react to a task reflects the 'difficulty' of the cognitive processes involved.

Measuring reading and reacting times

Eye tracking



Button Pressing

- Self paced reading
- Completion of a task (e.g. a lexical decision task)

For all reaction time experiments we assume that the time taken to react to a task reflects the 'difficulty' of the cognitive processes involved.

Shadowing

- Participant repeats the stimulus
 - e.g. lexical correction, Marslen-Wilson and Welsh
 - e.g. missing auxiliaries, Caines

- Established that exposure to a stimulus influences a response to a later stimulus.
- Caused by spreading activation (the priming stimulus activates part(s) of the brain, then when the second stimulus is encountered less additional activation is needed).
- Priming manifests itself as a measurable change in reaction.
- Lexical Priming: e.g. Priming experiments show us that: *lifting* primes *lift, burned* primes *burn* but *selective* does not prime *select* (this maybe tells us something about derivational vs. inflectional morphology).
- **Syntactic Priming**: e.g. get candidate to read "the ghoul sold a vacuum cleaner to a witch"; then ask participant to describe picture of a vampire handing a ghost a hat; participant more likely to use the to-construction (i.e. 'the vampire hands a hat to the ghost')

- Established that exposure to a stimulus influences a response to a later stimulus.
- Caused by spreading activation (the priming stimulus activates part(s) of the brain, then when the second stimulus is encountered less additional activation is needed).
- Priming manifests itself as a measurable change in reaction.
- Lexical Priming: e.g. Priming experiments show us that: *lifting* primes *lift, burned* primes *burn* but *selective* does not prime *select* (this maybe tells us something about derivational vs. inflectional morphology).
- **Syntactic Priming**: e.g. get candidate to read "the ghoul sold a vacuum cleaner to a witch"; then ask participant to describe picture of a vampire handing a ghost a hat; participant more likely to use the to-construction (i.e. 'the vampire hands a hat to the ghost')
- Also shown for Passive constructions—Branigan, Pickering and Cleland; Dialogue modelling—Pickering and Garrod, Carrod, Ca

- Established that exposure to a stimulus influences a response to a later stimulus.
- Caused by spreading activation (the priming stimulus activates part(s) of the brain, then when the second stimulus is encountered less additional activation is needed).
- Priming manifests itself as a measurable change in reaction.
- Lexical Priming: e.g. Priming experiments show us that: *lifting* primes *lift, burned* primes *burn* but *selective* does not prime *select* (this maybe tells us something about derivational vs. inflectional morphology).
- **Syntactic Priming**: e.g. get candidate to read "the ghoul sold a vacuum cleaner to a witch"; then ask participant to describe picture of a vampire handing a ghost a hat; participant more likely to use the to-construction (i.e. 'the vampire hands a hat to the ghost')

- Established that exposure to a stimulus influences a response to a later stimulus.
- Caused by spreading activation (the priming stimulus activates part(s) of the brain, then when the second stimulus is encountered less additional activation is needed).
- Priming manifests itself as a measurable change in reaction.
- Lexical Priming: e.g. Priming experiments show us that: *lifting* primes *lift, burned* primes *burn* but *selective* does not prime *select* (this maybe tells us something about derivational vs. inflectional morphology).
- Syntactic Priming: e.g. get candidate to read "the ghoul sold a vacuum cleaner to a witch"; then ask participant to describe picture of a vampire handing a ghost a hat; participant more likely to use the to-construction (i.e. 'the vampire hands a hat to the ghost')
- Also shown for Passive constructions—Branigan, Pickering and Cleland; Dialogue modelling—Pickering and Garrod.

Paula Buttery (DTAL)

Computational Psycholinguists generate testable hypotheses by building computational models of language processes and also by drawing on information theory.

Note that Information Theoretic predictions are not always explanatory in terms of processing mechanisms e.g. Uniform Information Density—*Jaeger*.

イロト イポト イヨト イヨト

Computational Psycholinguists generate testable hypotheses by building computational models of language processes and also by drawing on information theory.

Note that Information Theoretic predictions are not always explanatory in terms of processing mechanisms e.g. Uniform Information Density—*Jaeger*.

・ロト ・得ト ・ヨト ・ヨト

Computational Psycholinguists predict reaction times to words based on various organisational models:

- Morphological family size models *Baayen* Ratio of lexical item to its morphological family size (a larger family co-activates and speeds reaction times).
- **Cohort and Lexical isolation point models** *Marslen-Wilson* Fast recognition of high frequency words with low frequency neighbours (recognition point vs. with uniqueness point)
- Information Residuals *Moscoso del Prado Martin* Showed response latencies in visual lexical decision based on the frequency of the word in a corpus and also the entropy of the morphological paradigm.

イロト イポト イヨト イヨト

Parsing models as predictors for observed patterns in language-Yngve


- A sentence is constructed top-down and left-to-right.
- The model consists of a register for the current node being explored and a stack for all the nodes left to explore.
- The size of the stack an approximation to working memory load.
- Yngve predicted that sentences which required many items to be placed on the stack would be difficult to process and also less frequent in the language.
- He also predicted that when multiple parses are possible we should prefer the one with the minimised stack.

イロト イ押ト イヨト イヨト


Parsing models as predictors for observed patterns in language-Yngve




Parsing models as predictors for observed patterns in language–Yngve




Parsing models as predictors for observed patterns in language-Yngve




Parsing models as predictors for observed patterns in language-Yngve



Parsing models as predictors for observed patterns in language-Yngve




Parsing models as predictors for observed patterns in language-Yngve



3


Parsing models as predictors for observed patterns in language-Yngve

 $S \rightarrow NP VP$ $NP \rightarrow Det N$ $VP \rightarrow VP NP$ $Det \rightarrow the$ $N \rightarrow dog$ $N \rightarrow cat$ $V \rightarrow chased$



Parsing models as predictors for observed patterns in language-Yngve

 $S \rightarrow NP VP$ $NP \rightarrow Det N$ $VP \rightarrow VP NP$ $Det \rightarrow the$ $N \rightarrow dog$ $N \rightarrow cat$ $V \rightarrow chased$



Yngve's make correct predictions about centre embedding Consider:

This is the malt that the rat that the cat that the dog worried killed ate.

as opposed to:

This is the malt that was eaten by the rat that was killed by the cat that was worried by the dog.

Yngve's make correct predictions about centre embedding

Consider: STACK: N VP VP VP

This is the malt that the rat that the cat that the dog worried killed ate.

as opposed to:

This is the malt that was eaten by the rat that was killed by the cat that was worried by the dog.

Yngve evaluated his predictions by looking at frequencies of constructions in corpus data.

Dependency Locality Theory—Gibson

- Processing cost of integrating a new word is proportional to the distance between the word and the item with which the word is integrating.
- Distance is measured in words plus new phrases and discourse referents.

DLT will predict that object relative clauses are harder to process because they have two nouns that appear before any verb:

The girl who likes me, went to the party. The girl who Peter likes, went to the party.

Dependency Locality Theory—Gibson

- Processing cost of integrating a new word is proportional to the distance between the word and the item with which the word is integrating.
- Distance is measured in words plus new phrases and discourse referents.

DLT can also explain:

The fact that the employee who the manager hired stole office supplies worried the executive

VS.

The executive who the fact that the employee stole office supplies worried hired the manager

イロト イ押ト イヨト イヨト

How does the brain perform parse disambiguation?

Surprisal as a measure of lexical and syntactic complexity: e.g. $S(w) = \log 1/P(w)$

$$S(w_i) = \log 1/P(w_i)$$

(1)

How does the brain perform parse disambiguation?

Surprisal as a measure of lexical and syntactic complexity: e.g. $S(w) = \log 1/P(w)$

$$S(w_i) = \log 1/P(w_i)$$

(1)

$$S(w_i) = \log 1/P(w_i)$$

• Online parsing ambiguity: The student forgot the solution

$$S(w_i) = \log 1/P(w_i)$$

• Online parsing ambiguity: The student forgot the solution was

$$S(w_i) = \log 1/P(w_i)$$

• Online parsing ambiguity: The student forgot the solution was in

$$S(w_i) = \log 1/P(w_i)$$

• Online parsing ambiguity: The student forgot the solution was in the (1

.

$$S(w_i) = \log 1/P(w_i)$$

• Online parsing ambiguity:

The student forgot the solution was in the back

$$S(w_i) = \log 1/P(w_i)$$

• Online parsing ambiguity:

The student forgot the solution was in the back of

$$S(w_i) = \log 1/P(w_i)$$

• Online parsing ambiguity:

The student forgot the solution was in the back of the

$$S(w_i) = \log 1/P(w_i)$$

• Online parsing ambiguity:

The student forgot the solution was in the back of the book.

$$S(w_i) = \log 1/P(w_i)$$

• Online parsing ambiguity:

The student forgot the solution was in the back of the book.

• Strong garden path effect:

The horse raced past the barn

$$S(w_i) = \log 1/P(w_i)$$

• Online parsing ambiguity:

The student forgot the solution was in the back of the book.

• Strong garden path effect:

The horse raced past the barn fell.

$$S(w_i) = \log 1/P(w_i) \tag{1}$$

• Online parsing ambiguity:

The student forgot the solution was in the back of the book.

• Strong garden path effect:


The horse raced past the barn fell.

Surprisal as a predictor of reading times in sentence comprehension—Levy.

Predicting brain response from a probabilistic parser:

We used functional Magnetic Resonance Imaging (fMRI) to monitor brain activation while subjects passively listen to short narratives. The texts were written so as to introduce various syntactic complexities (relative clauses, embedded questions, etc.) not usually found (in such density) in actual corpora. With the use of a computationally implemented probabilistic parser (taken to represent an ideal listener) we have calculated a number of temporally dense (one per word) parametric measures reflecting different aspects of the incremental processing of each sentence. We used the resulting measures to model the observed brain activity (BOLD). We were able to identify different brain networks that support incremental linguistic processing and characterize their particular function.

Asaf Bachrach



'Identifying computable functions and their spatiotemporal distribution in the human brain'—*Andrew Thwaites et al.*

Paula Buttery (DTAL)

35 / 40


Vector space models (VSMs) and semantic priming-Pado and Lapata

- take word pairs from the psychological literature
- compute vector representations for target words and related and unrelated prime words
- distance between related prime and target should be smaller than distance between unrelated prime and target.

イロト 人間ト イヨト イヨト

How is meaning represented in the brain?

Towards Unrestricted, Large-Scale Acquisition of Feature-Based Conceptual Representations from Corpus Data—*Devereux et al.*



37 / 40

- Psycholinguistics is concerned with understanding how language is stored and processed in the brain.
- Computational Psycholinguistics contributes to the field by making predictions using information theory or computational models of language.
- These predictions are tested through observations or various experimental measurements.

To find out more:

- Harley, T. (2001) The psychology of language from data to theory.
- Gibson, E. (2000) The Dependency Locality theory: A Distance-based theory of linguistic complexity.
- Berko, J. (1958) The Child's Learning of English Morphology.
- Marslen-Wilson, W. & Welsh, A. (1978) Processing interactions and lexical access during word recognition in continuous speech.
- Pickering, M.J., & Garrod, S. (2004). The interactive-alignment model
- Jaeger, T. (2010). Redundancy and Reduction: Speakers Manage Syntactic Information Density.
- de Jong, N., Schreuder, R. & Baayen, H. (2000) The morphological family size effect and morphology.

- Moscoso del Prado Martn, F., Kostic, A. & Baayen, H. (2004) Putting the bits together: An information theoretical perspective on morphological processing.
- Levy, R (2008) Expectation-Based Syntactic Comprehension.
- Bachrach, A. (2008) Imaging Neural Correlates of Syntactic Complexity in Naturalistic Context.
- Pado, S. & Lapata, M. (2007) Dependency-based Construction of Semantic Space Models.
- Devereux, B. et al (2013) The Centre for Speech, Language and the Brain (CSLB) concept property norms.