

# IWML 2018 Reading List

## User research

- Solomon, J. (2016). Heterogeneity in Customization of Recommender Systems By Users with Homogenous Preferences. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems - CHI '16* (pp. 4166–4170). New York, New York, USA: ACM Press. <http://doi.org/10.1145/2858036.2858513>
- Dae, P., Peltola, T., Vehtari, A., & Kaski, S. (2017). User Modelling for Avoiding Overfitting in Interactive Knowledge Elicitation for Prediction, 1–9. Retrieved from <http://arxiv.org/abs/1710.04881>
- Fothergill, S., Mentis, H., Kohli, P., & Nowozin, S. (2012). Instructing people for training gestural interactive systems. In *Proceedings of the 2012 ACM annual conference on Human Factors in Computing Systems - CHI '12* (p. 1737). New York, New York, USA: ACM Press. <http://doi.org/10.1145/2207676.2208303>
- ★ Tullio, J., Dey, A. K., Chalecki, J., & Fogarty, J. (2007). How it works: a field study of non-technical users interacting with an intelligent system. In *Proceedings of the SIGCHI conference on Human factors in computing systems - CHI '07* (p. 31). New York, New York, USA: ACM Press. <http://doi.org/10.1145/1240624.1240630>
- Christel, M. G. (2006). Evaluation and user studies with respect to video summarization and browsing. In E. Y. Chang, A. Hanjalic, & N. Sebe (Eds.), (p. 60730M–60730M–15). <http://doi.org/10.1117/12.642841>

## Visual analytics

- Trivedi, G., Pham, P., Hwa, R., Chapman, W., Wiebe, J., & Hochheiser, H. (2015). An Interactive Tool for Natural Language Processing on Clinical Text. *Presented at 4th Workshop on Visual Text Analytics (IUI TextVis 2015)*. Retrieved from <http://vialab.science.uoit.ca/textvis2015/papers/Trivedi-textvis2015.pdf>
- Brooks, M., Amershi, S., Lee, B., Drucker, S. M., Kapoor, A., & Simard, P. (2015). FeatureInsight: Visual Support for Error-Driven Feature Ideation in Text Classification. *Proceedings of IEEE Symposium on Visual Analytics Science and Technology (VAST)*, 105–112. Retrieved from <http://ieevis.org/year/2015/info/overview-amp-topics/papers-sessions>
- Ma, K.-L., & Teoh, S. T. (2003). StarClass: Interactive Visual Classification Using Star Coordinates. *Proceedings of the 3rd SIAM International Conference on Data Mining*, 178–185.

- Perer, A., & Wang, F. (2014). Frequence: Interactive Mining and Visualization of Temporal Frequent Event Sequences. In *Proceedings of the 19th international conference on Intelligent User Interfaces - IUI '14* (pp. 153–162). New York, New York, USA: ACM Press. <http://doi.org/10.1145/2557500.2557508>
- Ankerst, M., Ester, M., & Kriegel, H.-P. (2000). Towards an effective cooperation of the user and the computer for classification. *Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD)*, 1(212), 179–188. <http://doi.org/http://doi.acm.org/10.1145/347090.347124>
- Parisot, O., Didry, Y., Tamisier, T., & Otjacques, B. (2015). Helping predictive analytics interpretation using regression trees and clustering perturbation. *Journal of Decision Systems*, 24(1), 55–72. <http://doi.org/10.1080/12460125.2015.994331>
- Amershi, S., & Conati, C. C. (2009). Combining Unsupervised and Supervised Classification to Build User Models for Exploratory. *JEDM-Journal of Educational Data Mining*, 1(1), 1–54.
- van den Elzen, S., & van Wijk, J. J. (2011). BaobabView: Interactive construction and analysis of decision trees. In *2011 IEEE Conference on Visual Analytics Science and Technology (VAST)* (pp. 151–160). IEEE. <http://doi.org/10.1109/VAST.2011.6102453>
- de Oliveira, M. C. F., & Levkowitz, H. (2003). From visual data exploration to visual data mining: A survey. *IEEE Transactions on Visualization and Computer Graphics*, 9(3), 378–394. <http://doi.org/10.1109/TVCG.2003.1207445>
- Liu, Y., & Salvendy, G. (2007). Interactive Visual Decision Tree Classification. In *Human-Computer Interaction. Interaction Platforms and Techniques* (Vol. 4551, pp. 92–105). Berlin, Heidelberg: Springer Berlin Heidelberg. [http://doi.org/10.1007/978-3-540-73107-8\\_11](http://doi.org/10.1007/978-3-540-73107-8_11)
- Teoh, S. T., & Ma, K.-L. (2003). PaintingClass: Interactive Construction, Visualization and Exploration of Decision Trees. In *Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining - KDD '03* (p. 667). New York, New York, USA: ACM Press. <http://doi.org/10.1145/956750.956837>
- Kapoor, A., Lee, B., Tan, D. S., & Horvitz, E. (2010). Interactive optimization for steering machine classification. In *CHI* (pp. 1343–1352). <http://doi.org/10.1145/1753326.1753529>
- Talbot, J., Lee, B., Kapoor, A., & Tan, D. S. (2009). EnsembleMatrix: interactive visualization to support machine learning with multiple classifiers. In *Proceedings*

of the 27th international conference on Human factors in computing systems - CHI 09 (p. 1283). <http://doi.org/10.1145/1518701.1518895>

- ★ Behrisch, M., Korkmaz, F., Shao, L., & Schreck, T. (2014). Feedback-driven interactive exploration of large multidimensional data supported by visual classifier. In *2014 IEEE Conference on Visual Analytics Science and Technology (VAST)* (pp. 43–52). <http://doi.org/10.1109/VAST.2014.7042480>

Mühlbacher, T., Piringer, H., Gratzl, S., Sedlmair, M., & Streit, M. (2014). Opening the Black Box: Strategies for Increased User Involvement in Existing Algorithm Implementations. *IEEE Transactions on Visualization and Computer Graphics*, 20(1), 1643–1652. <http://doi.org/10.1109/TVCG.2014.2346578>

Mamani, G. M. H., Fatore, F. M., Nonato, L. G., & Paulovich, F. V. (2013). User-driven feature space transformation. *Computer Graphics Forum*, 32(3), 291–299. <http://doi.org/10.1111/cgf.12116>

Brown, E. T., Liu, J., Brodley, C. E., & Chang, R. (2012). Dis-function: Learning distance functions interactively. *2012 IEEE Conference on Visual Analytics Science and Technology (VAST)*, 83–92. <http://doi.org/10.1109/VAST.2012.6400486>

Ankerst, M., Elsen, C., Ester, M., & Kriegel, H.-P. (1999). Visual classification: an interactive approach to decision tree construction. In *Proceedings of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining - KDD '99* (pp. 392–396). New York, New York, USA: ACM Press. <http://doi.org/10.1145/312129.312298>

Wu, E., & Madden, S. (2013). Scorpion: Explaining Away Outliers in Aggregate Queries. *Proceedings of the VLDB Endowment*, 6(8), 553–564.

Bertini, E., & Lalanne, D. (2010). Investigating and reflecting on the integration of automatic data analysis and visualization in knowledge discovery. *ACM SIGKDD Explorations Newsletter*, 11(2), 9. <http://doi.org/10.1145/1809400.1809404>

Fan, X., Liu, Y., Cao, N., Hong, J., & Wang, J. (2015). MindMiner: Quantifying Entity Similarity via Interactive Distance Metric Learning. In *Proceedings of the 20th International Conference on Intelligent User Interfaces Companion - IUI Companion '15* (pp. 93–96). New York, New York, USA: ACM Press. <http://doi.org/10.1145/2732158.2732173>

Fan, X., Liu, Y., Cao, N., Hong, J., & Wang, J. (2015). MindMiner: A Mixed-Initiative Interface for Interactive Distance Metric Learning. In J. Abascal, S. Barbosa, M. Fetter, T. Gross, P. Palanque, & M. Winckler (Eds.), (Vol. 9297, pp. 611–628). Cham: Springer International Publishing. [http://doi.org/10.1007/978-3-319-22668-2\\_47](http://doi.org/10.1007/978-3-319-22668-2_47)

Sarkar, A., Blackwell, A. F., Jamnik, M., & Spott, M. (2015). Interaction with uncertainty in visualisations. In *Eurographics/IEEE VGTC Conference on Visualization (EuroVis 2015) Short Papers* (pp. 133–137). <http://doi.org/10.2312/eurovisshort.20151138>

★ Sarkar, A., Spott, M., Blackwell, A. F., & Jamnik, M. (2016). Visual discovery and model-driven explanation of time series patterns. In *2016 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC)* (Vol. 2016–Novem, pp. 78–86). IEEE. <http://doi.org/10.1109/VLHCC.2016.7739668>

## Design research

Jasper, R. J., & Blaha, L. M. (2017). Interface Metaphors for Interactive Machine Learning (Vol. 10284, pp. 521–534). [http://doi.org/10.1007/978-3-319-58628-1\\_39](http://doi.org/10.1007/978-3-319-58628-1_39)

★ Horvitz, E. (1999). Principles of mixed-initiative user interfaces. In *Proceedings of the SIGCHI conference on Human factors in computing systems the CHI is the limit - CHI '99* (pp. 159–166). New York, New York, USA: ACM Press. <http://doi.org/10.1145/302979.303030>

Sacha, D., Sedlmair, M., Zhang, L., Lee, J. A., Peltonen, J., Weiskopf, D., ... Keim, D. A. (2017). What you see is what you can change: Human-centered machine learning by interactive visualization. *Neurocomputing*, 0, 1–12. <http://doi.org/10.1016/j.neucom.2017.01.105>

Shilman, M., Tan, D. S., & Simard, P. (2006). CueTIP: a mixed-initiative interface for correcting handwriting errors. *Proceedings of the ACM Symposium on User Interface Software and Technology*, 323–332. <http://doi.org/10.1145/1166253.1166304>

Amershi, S., Fogarty, J., & Weld, D. (2012). ReGroup: interactive machine learning for on-demand group creation in social networks. In *Proceedings of the 2012 ACM annual conference on Human Factors in Computing Systems - CHI '12* (p. 21). New York, New York, USA: ACM Press. <http://doi.org/10.1145/2207676.2207680>

Lim, B. Y., & Dey, A. K. (2010). Toolkit to support intelligibility in context-aware applications. In *Proceedings of the 12th ACM international conference on Ubiquitous computing - Ubicomp '10* (p. 13). New York, New York, USA: ACM Press. <http://doi.org/10.1145/1864349.1864353>

★ Sarkar, A., Jamnik, M., Blackwell, A. F., & Spott, M. (2015). Interactive visual machine learning in spreadsheets. In *2015 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC)* (pp. 159–163). IEEE. <http://doi.org/10.1109/VLHCC.2015.7357211>

- Gulwani, S., Harris, W. R., & Singh, R. (2012). Spreadsheet data manipulation using examples. *Communications of the ACM*, 55(8), 97.  
<http://doi.org/10.1145/2240236.2240260>
- Valentin, J., Torr, P., Vineet, V., Cheng, M.-M., Kim, D., Shotton, J., ... Izadi, S. (2015). SemanticPaint: Interactive 3D Labeling and Learning at Your Fingertips. *ACM Transactions on Graphics*, 34(5), 1–17. <http://doi.org/10.1145/2751556>
- Krause, J., Perer, A., & Bertini, E. (2014). INFUSE: Interactive Feature Selection for Predictive Modeling of High Dimensional Data. *IEEE Transactions on Visualization and Computer Graphics*, 20(12), 1614–1623.  
<http://doi.org/10.1109/TVCG.2014.2346482>
- Bernard, J., Sessler, D., Bannach, A., May, T., & Kohlhammer, J. (2015). A visual active learning system for the assessment of patient well-being in prostate cancer research. In *Proceedings of the 2015 Workshop on Visual Analytics in Healthcare - VAHC '15* (pp. 1–8). New York, New York, USA: ACM Press.  
<http://doi.org/10.1145/2836034.2836035>
- ★ Amershi, S., Chickering, M., Drucker, S. M., Lee, B., Simard, P., & Suh, J. (2015). ModelTracker: Redesigning Performance Analysis Tools for Machine Learning. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems - CHI '15* (pp. 337–346). New York, New York, USA: ACM Press. <http://doi.org/10.1145/2702123.2702509>
- Amershi, S., Lee, B., Kapoor, A., Mahajan, R., & Christian, B. (2011). CueT: Human-Guided Fast and Accurate Network Alarm Triage. In *Proceedings of the 2011 annual conference on Human factors in computing systems - CHI '11* (p. 157). New York, New York, USA: ACM Press.  
<http://doi.org/10.1145/1978942.1978966>
- Fass, A. M., Bier, E. A., & Adar, E. (2000). PicturePiper: using a re-configurable pipeline to find images on the Web. In *Proceedings of the 13th annual ACM symposium on User interface software and technology - UIST '00* (pp. 51–62). New York, New York, USA: ACM Press. <http://doi.org/10.1145/354401.354411>
- Lang, K. J., & Baum, E. B. (1992). Query Learning Can Work Poorly when a Human Oracle is Used. In *IJCNN 1992* (pp. 335–340).
- Kulesza, T., Stumpf, S., Burnett, M., Wong, W. K., Riche, Y., Moore, T., ... McIntosh, K. (2010). Explanatory debugging: Supporting end-user debugging of machine-learned programs. In *Proceedings - 2010 IEEE Symposium on Visual Languages and Human-Centric Computing, VL/HCC 2010* (pp. 41–48).  
<http://doi.org/10.1109/VLHCC.2010.15>

Amershi, S., Cakmak, M., Knox, W. B., & Kulesza, T. (2014). Power to the People: The Role of Humans in Interactive Machine Learning. *AI Magazine*, 35(4).  
<http://doi.org/10.1609/aimag.v35i4.2513>

Ware, M., Frank, E., Holmes, G., Hall, M., & Witten, I. H. (2001). Interactive machine learning: letting users build classifiers. *International Journal of Human-Computer Studies*, 55(3), 281–292. <http://doi.org/10.1006/ijhc.2001.0499>

Sanchis-Trilles, G., Ortiz-Martínez, D., Civera, J., Casacuberta, F., Vidal, E., & Hoang, H. (2008). Improving Interactive Machine Translation via Mouse Actions. *EMNLP-2008: Conference on Empirical Methods in Natural Language Processing*, (October), 485–494.

★ Ko, A. J., & Myers, B. A. (2008). Debugging reinvented: asking why and why not questions about program behaviour. *2008 ACM/IEEE 30th International Conference on Software Engineering*, 301–310.  
<http://doi.org/10.1145/1368088.1368130>

Lim, B. Y., Dey, A. K., & Avrahami, D. (2009). Why and why not explanations improve the intelligibility of context-aware intelligent systems. *Proceedings of the 27th International Conference on Human Factors in Computing Systems - CHI 09*, 2119–2129. <http://doi.org/10.1145/1518701.1519023>

Kulesza, T., Burnett, M., Wong, W., & Stumpf, S. (2015). Principles of Explanatory Debugging to Personalize Interactive Machine Learning. In *Proceedings of the 20th International Conference on Intelligent User Interfaces - IUI '15* (pp. 126–137). <http://doi.org/10.1145/2678025.2701399>

★ Lim, B., & Dey, A. (2009). Assessing demand for intelligibility in context-aware applications. *Proceedings of the 11th International Conference on Ubiquitous Computing*, 195. <http://doi.org/10.1145/1620545.1620576>

Kulesza, T., Stumpf, S., Burnett, M., Yang, S., Kwan, I., & Wong, W.-K. (2013). Too much, too little, or just right? Ways explanations impact end users' mental models. In *Proceedings of IEEE Symposium on Visual Languages and Human-Centric Computing, VL/HCC* (pp. 3–10).  
<http://doi.org/10.1109/VLHCC.2013.6645235>

Amershi, S., Fogarty, J., Kapoor, A., & Tan, D. S. (2011). Effective End-User Interaction with Machine Learning. *Proceedings of the Twenty-Fifth AAAI Conference on Artificial Intelligence*, 1529–1532.

Kulesza, T., Stumpf, S., Burnett, M., & Kwan, I. (2012). Tell me more? The Effects of Mental Model Soundness on Personalizing an Intelligent Agent. In *Proceedings of the 2012 ACM annual conference on Human Factors in Computing Systems - CHI '12* (p. 1). <http://doi.org/10.1145/2207676.2207678>

- ★ Groce, A., Kulesza, T., Zhang, C., Shamasunder, S., Burnett, M., Wong, W.-K., ... McIntosh, K. (2014). You Are the Only Possible Oracle: Effective Test Selection for End Users of Interactive Machine Learning Systems. *IEEE Transactions on Software Engineering*, 40(3), 307–323. <http://doi.org/10.1109/TSE.2013.59>
- ★ Kulesza, T., Stumpf, S., Wong, W.-K., Burnett, M. M., Perona, S., Ko, A. J., & Oberst, I. (2011). Why-oriented end-user debugging of naive Bayes text classification. *ACM Transactions on Interactive Intelligent Systems*. <http://doi.org/10.1145/2030365.2030367>
- Fiebrink, R. (2010). Real-time interaction with supervised learning. In *Proceedings of the 28th of the international conference extended abstracts on Human factors in computing systems* (pp. 2935–2938). <http://doi.org/10.1145/1753846.1753889>
- ★ Kulesza, T., Amershi, S., Caruana, R., Fisher, D., & Charles, D. (2014). Structured labeling for facilitating concept evolution in machine learning. In *Proceedings of the 32nd annual ACM conference on Human factors in computing systems - CHI '14* (pp. 3075–3084). New York, New York, USA: ACM Press. <http://doi.org/10.1145/2556288.2557238>
- Kulesza, T., Wong, W., Stumpf, S., Perona, S., White, R., Burnett, M. M., ... Ko, A. J. (2009). Fixing the program my computer learned. *Proceedings of the 13th International Conference on Intelligent User Interfaces - IUI '09*, 187. <http://doi.org/10.1145/1502650.1502678>
- Fogarty, J., Tan, D. S., Kapoor, A., & Winder, S. (2008). CueFlik: interactive concept learning in image search. *Proceeding of the Twenty-Sixth Annual CHI Conference on Human Factors in Computing Systems - CHI '08*, 29. <http://doi.org/10.1145/1357054.1357061>
- ★ Fails, J. A., & Olsen, D. R. (2003). Interactive machine learning. *Proceedings of the 8th International Conference on Intelligent User Interfaces - IUI '03*, 39. <http://doi.org/10.1145/604050.604056>
- Mayer, M., Soares, G., Grechkin, M., Le, V., Marron, M., Polozov, O., ... Gulwani, S. (2015). User Interaction Models for Disambiguation in Programming by Example. In *Proceedings of the 28th Annual ACM Symposium on User Interface Software & Technology - UIST '15* (pp. 291–301). New York, New York, USA: ACM Press. <http://doi.org/10.1145/2807442.2807459>
- Weld, D. S., Fogarty, J., & Skinner, M. (2008). Intelligence in Wikipedia. *Artificial Intelligence*, pages(April), 1609–1614. <http://doi.org/10.1.1.141.6970>
- Kapoor, A., Lee, B., Tan, D., & Horvitz, E. (2012). Performance and preferences: Interactive refinement of machine learning procedures. *Proceedings of the National Conference on Artificial Intelligence*, 2, 1578–1584. Retrieved from

<http://www.scopus.com/inward/record.url?eid=2-s2.0-84868291810&partnerID=tZOtx3y1>

- Patel, K., Drucker, S. M., Fogarty, J., Kapoor, A., & Tan, D. S. (2011). Using multiple models to understand data. *IJCAI International Joint Conference on Artificial Intelligence*, 1723–1728. <http://doi.org/10.5591/978-1-57735-516-8/IJCAI11-289>
- Patel, K., Bancroft, N., Drucker, S. M., Fogarty, J., Ko, A. J., & Landay, J. (2010). Gestalt: Integrated Support for Implementation and Analysis in Machine Learning. In *Proceedings of the 23rd annual ACM symposium on User interface software and technology - UIST '10* (p. 37). New York, New York, USA: ACM Press. <http://doi.org/10.1145/1866029.1866038>
- Patel, K., Fogarty, J., Landay, J. a., & Harrison, B. (2008). Investigating statistical machine learning as a tool for software development. In *Proceeding of the twenty-sixth annual CHI conference on Human factors in computing systems - CHI '08* (p. 667). New York, New York, USA: ACM Press. <http://doi.org/10.1145/1357054.1357160>
- Amershi, S., Fogarty, J., Kapoor, A., & Tan, D. (2010). Examining multiple potential models in end-user interactive concept learning. In *Proceedings of the 28th international conference on Human factors in computing systems - CHI '10* (p. 1357). New York, New York, USA: ACM Press. <http://doi.org/10.1145/1753326.1753531>
- Vidulin, V., Bohanec, M., & Gams, M. (2014). Combining human analysis and machine data mining to obtain credible data relations. *Information Sciences*, 288, 254–278. <http://doi.org/10.1016/j.ins.2014.08.014>
- Sarkar, A. (2016). Constructivist design for interactive machine learning. In *Conference on Human Factors in Computing Systems - Proceedings* (Vol. 07-12-May-). <http://doi.org/10.1145/2851581.2892547>
- ★ Sarkar, A., Morrison, C., Dorn, J. F., Bedi, R., Steinheimer, S., Boisvert, J., ... Lindley, S. (2016). Setwise Comparison: Consistent, Scalable, Continuum Labels for Computer Vision. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems - CHI '16* (pp. 261–271). New York, New York, USA: ACM Press. <http://doi.org/10.1145/2858036.2858199>
- Chang, J. C., Amershi, S., & Kamar, E. (2017). Revolt: Collaborative Crowdsourcing for Labeling Machine Learning Datasets. *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI '17)*, 2334–2346. <http://doi.org/10.1145/3025453.3026044>



# Interpreting models

- Su, J., Vargas, D. V., & Kouichi, S. (2017). One pixel attack for fooling deep neural networks. Retrieved from <http://arxiv.org/abs/1710.08864>
- Baron, B., & Musolesi, M. (2017). Interpretable Machine Learning for Privacy-Preserving IoT and Pervasive Systems, 1–10. Retrieved from <http://arxiv.org/abs/1710.08464>
- Tan, S., Caruana, R., Hooker, G., & Lou, Y. (2017). Detecting Bias in Black-Box Models Using Transparent Model Distillation, (1). Retrieved from <http://arxiv.org/abs/1710.06169>
- Miller, T. (2017). Explanation in Artificial Intelligence: Insights from the Social Sciences. Retrieved from <http://arxiv.org/abs/1706.07269>
- Hendricks, L. A., Akata, Z., Rohrbach, M., Donahue, J., Schiele, B., & Darrell, T. (2016). Generating visual explanations. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 9908 LNCS, 3–19. [http://doi.org/10.1007/978-3-319-46493-0\\_1](http://doi.org/10.1007/978-3-319-46493-0_1)
- Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). “Why Should I Trust You?”: Explaining the Predictions of Any Classifier. In M. Gillies & R. Fiebrink (Eds.), *ACM SIGCHI Workshop on Human-Centered Machine Learning*. San Jose: ACM. Retrieved from <http://hcml2016.goldsmithsdigital.com/program/>
- Tamagnini, P., & Bertini, E. (2017). Interpreting Black-Box Classifiers Using Instance-Level Visual Explanations. <http://doi.org/10.1145/nnnnnnnn.nnnnnnn>
- Kahng, M., Andrews, P., Kalro, A., & Chau, D. H. (2017). ActiVis: Visual Exploration of Industry-Scale Deep Neural Network Models. Retrieved from <http://arxiv.org/abs/1704.01942>
- ★ Zeiler, M. D., & Fergus, R. (2014). Visualizing and understanding convolutional networks. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 8689 LNCS(PART 1), 818–833. [http://doi.org/10.1007/978-3-319-10590-1\\_53](http://doi.org/10.1007/978-3-319-10590-1_53)
- Krause, J., Perer, A., & Ng, K. (2016). Interacting with Predictions: Visual Inspection of Black-box Machine Learning Models. <http://doi.org/10.1145/2858036.2858529>
- Mahendran, A., & Vedaldi, A. (2015). Understanding deep image representations by inverting them. In *2015 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)* (pp. 5188–5196). IEEE. <http://doi.org/10.1109/CVPR.2015.7299155>
- ★ Caruana, R., Lou, Y., Gehrke, J., Koch, P., Sturm, M., & Elhadad, N. (2015). Intelligible Models for HealthCare. In *Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining - KDD '15* (pp.

1721–1730). New York, New York, USA: ACM Press.  
<http://doi.org/10.1145/2783258.2788613>

Herlocker, J. L., Konstan, J. a, & Riedl, J. (2000). Explaining collaborative filtering recommendations. *Proceedings of the 2000 ACM Conference on Computer Supported Cooperative Work*, 241–250. <http://doi.org/10.1145/358916.358995>