

1999 Paper 3 Question 4

Compiler Construction

A programming language has expressions e with the following syntax:

$$\begin{aligned} e ::= & x \mid n \mid e + e' \mid e(e') \mid (e) \\ & \mid \text{let } x = e \text{ in } e' \\ & \mid \text{letsta } f(x) = e \text{ in } e' \\ & \mid \text{letdyn } f(x) = e \text{ in } e' \end{aligned}$$

where f and x range over identifiers and n ranges over numbers. The three *let* variants introduce simple variables (**let**) and (non-recursive) functions whose variables are statically (**letsta**) or dynamically (**letdyn**) bound.

Using e itself (or any related language whose relationship to e is explained) as abstract syntax define an evaluator *eval* which, when given an expression e and an environment ρ , yields the value of evaluating e in ρ . The evaluator can be written in a language of your choice or in mathematical pseudo-code. [12 marks]

Explain carefully in one sentence each:

- (a) the forms of value which *eval* may return;
- (b) the form(s) of value which constitute the environment;
- (c) the use(s) of environment(s) in **letsta** and in a call to a function defined by **letsta**;
- (d) the use(s) of environment(s) in **letdyn** and in a call to a function defined by **letdyn**.

[8 marks]

Hint: because both **letsta** and **letdyn** functions may be applied using the same function call syntax, you may find it helpful to use separate forms of value for the two forms of functions.