

COMPUTER SCIENCE TRIPOS Part IB – 2014 – Paper 4

6 Databases (TGG)

- (a) We are given a relational schema $R(A, B, C, D, E)$ and told that the following table represents a legal instance of R .

A	B	C	D	E	<i>tuple number</i>
1	2	5	4	3	(#1)
1	4	5	4	4	(#2)
2	4	5	4	5	(#3)
2	5	5	4	3	(#4)

Which of the following sets of functional dependencies *may* hold in R ? If a set of dependencies cannot hold, then explain why. You can refer to *tuple numbers* in your explanation.

- (i) F_1 is the set $\{A \rightarrow D\}$. [2 marks]

- (ii) F_2 is the set

$$\begin{aligned} A, B &\rightarrow C \\ E &\rightarrow B \\ D, E &\rightarrow A \end{aligned}$$

[2 marks]

- (iii) F_3 is the set

$$\begin{aligned} A, B &\rightarrow C \\ D, E &\rightarrow C \\ A &\rightarrow D \end{aligned}$$

[4 marks]

- (b) We are given a relational schema $R(\mathbf{Z}, \mathbf{W}, \mathbf{Y})$. Suppose that in some (correct) instance of R the query

$$(\pi_{\mathbf{Z}, \mathbf{W}}(R) \bowtie \pi_{\mathbf{Z}, \mathbf{Y}}(R)) - R$$

is not empty. What can we conclude about the functional dependency $\mathbf{Z} \rightarrow \mathbf{W}$? Explain your answer. [4 marks]

- (c) In the process of using functional dependencies to normalise a schema, what is meant by a *lossless join decomposition* and how is such a decomposition guaranteed? [4 marks]

- (d) In schema normalisation, is Boyce-Codd Normal Form (BCNF) always to be preferred over 3rd Normal Form (3NF)? Explain your answer. [4 marks]