# Adblocking and Counter-Blocking



Rishab Nithyanand



Sheharbano Khattak



Mobin Javed



Narseo Vallina-Rodriguez



Marjan Falahrastegar



Julia E. Powles



Emiliano De Cristofaro



Hamed Haddadi



Steven Murdoch













### Now... our sponsors












Skipping slide in 15 seconds

# Or... Turn off your adblocker to proceed



### In this paper, we ...

Understand the current state of the content provider vs. adblocker arms race



# In this paper, we ...

- Understand the current state of the content provider vs. adblocker arms race
  - How widespread are anti-adblockers?
    - Anti-adblockers: Adblocker blockers and detectors.
  - What sites are employing them?
  - Who are the most popular vendors of anti-adblockers?
  - How do the popular anti-adblockers work?
  - Can adblockers block anti-adblockers?
    - Or, can adblockers block adblocker blockers?

# How widespread are anti-adblockers?

- Crawl and download all JSes in the Alexa T-5K.
  - Over 200K JS in Alexa T-5K.
  - Analyzing (functionality of) each one is not feasible.
- Observation: Most sites use the same JSes.
  - Bought from vendors, part of a library, etc.
- Cluster similar JSes and analyze each cluster.

Clustering similar JSes

JS

.6

.8

• Formulate as the Clique Finding problem.

• Find all cliques with edge weight  $\geq x$  (say, .80).

• JS 1, JS 2, and JS 4 are likely to have identical functionality and source for sufficiently high "x".

White-space insensitive Position insensitive

• Gives a lower-bound of shared কুণ্ডিছে দ্বাঞ্জি with differently obfuscated code and composed JSes.

# Analyzing clusters of JSes

- Characteristics (script vendor and functionality) of each clique are identified by analyzing:
  - Sources of scripts.
  - External resources utilized by the scripts.
  - (TF-IDF) Keywords associated with the script.
  - Manually.

# How widespread are anti-adblockers?

- Total number of cliques with size >= 5 : 1882
  - 1882 JSes shared by 5+ websites.
- Total number of tracker JSes: 456 of 1882
  - 456 JSes used for tracking shared by 2741 websites.
- Total number of anti-adblocker JSes: 22 of 1882
  - 22 JSes used for detecting adblockers shared by 335 websites.
  - This is a lower bound.

# What sites are employing anti-adblockers?

• McAfee's URL categories over the 335 identified websites.

%	Category	%	Category
19.5%	General News	2.5%	Pornography
9.3%	Blogs/Wiki	2.5%	Forum/Bulletin Boards
8.5%	Entertainment	2.2%	Technical/Business Forums
4.3%	Internet Services	2.2%	Potential Illegal Software
3.7%	Sports	2.0%	Online Shopping
3.7%	Games	1.7%	Portal Sites
3.2%	Travel	1.7%	Humor/Comics
3.2%	Education/Reference	1.2%	Social Networking
2.7%	Business	1.2%	Provocative Attire
2.5%	Software/Hardware	1.2%	Marketing/Merchandising

# Who are the popular anti-adblocking vendors?

Domain	Description	#Sites	
pagefair.com	Anti-adblocking	20	
googleadservices.com	Ads	61	
googlesyndication.com	Ads	13	
taboola.com	Ads	36	
outbrain.com	Ads	10	
ensighten.com	Ads	6	
hotjar.com	Analytics	9	
doublepimp.com	Pornography	8	
tacdn.com	Travel	8	
cloudflare.com	CDN	50	
cloudfront.net	CDN	6	
ytimg.com	Content/Ads	108	

#### How do anti-adblockers work?

- Key idea: Bait objects.
- Example 1: Using a bait DIV element

```
var test = document.createElement('div'); //Create a new DIV element
test.innerHTML = ' ';
test.className = 'adsbox'; //Set bait

document.body.appendChild(test); //Add element to document body

if (test.offsetHeight === 0) //Check element height
{
         document.body.classList.add('adblock');
}
```

#### How do anti-adblockers work?

- Key idea: Bait objects.
- Example 2: Using bait JSes

```
// ads.js
var foo = False

// main.js
var foo = True
// main.html
if (foo is True)
{
         document.body.classList.add('adblock');
}
```

#### Can adblockers block anti-adblockers?

Domain	Description	#Sites	ABP	Gh	PB
pagefair.com	Anti-adblocking	20	/	X	<b>✓</b>
googleadservices.com	Ads	61	X	X	X
googlesyndication.com	Ads	13	X	X	X
taboola.com	Ads	36	X	/	/
outbrain.com	Ads	10	X	1	/
ensighten.com	Ads	6	X	/	X
hotjar.com	Analytics	9	X	X	X
doublepimp.com	Pornography	8	X	1	X
tacdn.com	Travel	8	X	X	X
cloudflare.com	CDN	50	X	X	/
cloudfront.net	CDN	6	X	X	X
ytimg.com	Content/Ads	108	X	X	X

### TL; DR

• Anti-adblockers are employed by at least 6.7% of the Alexa T-5K.

Anti-adblockers are mostly employed by "News" websites.

- Anti-adblockers are being supplied mostly by ad vendors.
  - PageFair report should be taken with a grain of salt (conflict of interest).

- The arms race has entered the next phase.
  - Escalation seems likely unless a compromise is found (e.g., Eyeo AAI).

# Upcoming work

Automated categorization of JSes.

• Longitudinal measurements.