Dell P3225QE 32" 4K USB-C Hub Monitor (Dell 32 Plus Monitor)

Number of Screens

1

Screen Size Class

32"

Viewable Screen Size

31.5"

Screen Mode

4K UHD

Panel Technology

In-plane Switching (IPS) Technology

Response Time

5 ms

Response Time Details

- 8ms GTG
- 5ms GTG (Fast)

Aspect Ratio

16:9

Pixel Pitch

0.1816 mm x 0.1816 mm

Horizontal Viewing Angle

178˚

Vertical Viewing Angle

178˚

Mount Type

Panel Mount

Backlight Technology

LED Edgelight System

HDCP Supported

Yes

Maximum Adjustable Height

150 mm

Tilt Angle

-5˚ to 21˚

Swivel Angle

-30˚ to 30˚

Pivot Angle

+/-90˚

Features

- Narrow Bezel
- Mercury-free
- Arsenic-free Glass
- PVC Free
- BFR Free
- Stand Lock
- Cable Lock Slot
- Security Lock
- Eye Comfort Technology
- Anti-glare

Horizontal Frequency

30 kHz to 230 kHz

Vertical Frequency

48 Hz to 100 Hz

Adjustable Stand

Yes

Stand Adjustments

- Swivel
- Height
- Pivot
- Tilt

Stand Included

Yes

Glass Hardness

3H

Operation Hours

8 Hours/5 Days

Video

Maximum Resolution

3840 x 2160

Standard Refresh Rate

100 Hz

Colour Supported

1.07 Billion Colours

Native Contrast Ratio

1,500:1

Brightness

350 cd/m^2

Colour Gamut

99% sRGB (CIE 1931)

Maximum Preset Resolution

3840 x 2160 at 100Hz

Pixel Per Inch (PPI)

140

Interfaces/Ports

Connectivity

Video port

- 1 HDMI port (HDCP2.3) (supports up to UHD 3840 x 2160 100 Hz FRL as per specified in HDMI 2.1)
- 1 Display Port 1.4 (HDCP2.3)(Support up to 3840 x 2160 100Hz)

USB port

- 1 USB-C 5Gbps upstream port (DisplayPort 1.4 Alternate mode, Power Delivery up to 90W)

- 1 USB-C 5Gbps downstream port
- 3 USB 5Gbps Type-A downstream ports

Ethernet

- 1 RJ45 Ethernet port, 1GbE

- **USB Type-C (Power Delivery) upstream port**

Up to 90 W

- **USB Type-C (Power Delivery) downstream port**

Up to 15 W