

C and C++

7. Exceptions — Templates

Alastair R. Beresford

University of Cambridge

Lent Term 2008

- ▶ Some code (e.g. a library module) may detect an error but not know what to do about it; other code (e.g. a user module) may know how to handle it
- ▶ C++ provides *exceptions* to allow an error to be communicated
- ▶ In C++ terminology, one portion of code *throws* an exception; another portion *catches* it.
- ▶ If an exception is thrown, the call stack is unwound until a function is found which catches the exception
- ▶ If an exception is not caught, the program terminates

Throwing exceptions

- ▶ Exceptions in C++ are just normal values, matched by type
- ▶ A class is often used to define a particular error type:
`class MyError {};`
- ▶ An instance of this can then be thrown, caught and possibly re-thrown:

```
1 void f() { ... throw MyError(); ... }
2 ...
3 try {
4     f();
5 }
6 catch (MyError) {
7     //handle error
8     throw; //re-throw error
9 }
```

Conveying information

- ▶ The “thrown” type can carry information:

```
1 struct MyError {
2     int errorcode;
3     MyError(i):errorcode(i) {}
4 };
5
6 void f() { ... throw MyError(5); ... }
7
8 try {
9     f();
10 }
11 catch (MyError x) {
12     //handle error (x.errorcode has the value 5)
13     ...
14 }
```

Handling multiple errors

- ▶ Multiple catch blocks can be used to catch different errors:

```
1 try {  
2   ...  
3 }  
4 catch (MyError x) {  
5   //handle MyError  
6 }  
7 catch (YourError x) {  
8   //handle YourError  
9 }
```

- ▶ Every exception will be caught with `catch(...)`
- ▶ Class hierarchies can be used to express exceptions:

```
1 #include <iostream>  
2  
3 struct SomeError {virtual void print() = 0;};  
4 struct ThisError : public SomeError {  
5   virtual void print() {  
6     std::cout << "This Error" << std::endl;  
7   }  
8 };  
9 struct ThatError : public SomeError {  
10  virtual void print() {  
11    std::cout << "That Error" << std::endl;  
12  }  
13 };  
14 int main() {  
15  try { throw ThisError(); }  
16  catch (SomeError& e) { //reference, not value  
17    e.print();  
18  }  
19  return 0;  
20 }
```

Exceptions and local variables

- ▶ When an exception is thrown, the stack is unwound
- ▶ The destructors of any local variables are called as this process continues
- ▶ Therefore it is good C++ design practise to wrap any locks, open file handles, heap memory etc., inside a stack-allocated class to ensure that the resources are released correctly

Templates

- ▶ Templates support *meta-programming*, where code can be evaluated at compile-time rather than run-time
- ▶ Templates support *generic programming* by allowing types to be parameters in a program
- ▶ Generic programming means we can write one set of algorithms and one set of data structures to work with objects of *any* type
- ▶ We can achieve some of this flexibility in C, by casting everything to `void *` (e.g. `sort` routine presented earlier)
- ▶ The C++ Standard Template Library (STL) makes extensive use of templates

An example: a stack

- ▶ The stack data structure is a useful data abstraction concept for objects of many different types
- ▶ In one program, we might like to store a stack of `ints`
- ▶ In another, a stack of `NetworkHeader` objects
- ▶ Templates allow us to write a single *generic* stack implementation for an unspecified type `T`
- ▶ What functionality would we like a stack to have?
 - ▶ `bool isEmpty();`
 - ▶ `void push(T item);`
 - ▶ `T pop();`
 - ▶ ...
- ▶ Many of these operations depend on the type `T`

Creating a stack template

- ▶ A class template is defined as:

```
1 template<class T> class Stack {  
2     ...  
3 }
```

- ▶ Where `class T` can be any C++ type (e.g. `int`)
- ▶ When we wish to create an instance of a `Stack` (say to store `ints`) then we must specify the type of `T` in the declaration and definition of the object: `Stack<int> intstack;`
- ▶ We can then use the object as normal: `intstack.push(3);`
- ▶ So, how do we implement `Stack`?
 - ▶ Write `T` whenever you would normally use a concrete type

```
1 template<class T> class Stack {  
2  
3     struct Item { //class with all public members  
4         T val;  
5         Item* next;  
6         Item(T v) : val(v), next(0) {}  
7     };  
8  
9     Item* head;  
10  
11    Stack(const Stack& s) {}           //private  
12    Stack& operator=(const Stack& s) {} //  
13  
14    public:  
15        Stack() : head(0) {}  
16        ~Stack();  
17        T pop();  
18        void push(T val);  
19        void append(T val);  
20    };
```

```
1 #include "example16.hh"  
2  
3 template<class T> void Stack<T>::append(T val) {  
4     Item **pp = &head;  
5     while(*pp) {pp = &((*pp)->next);}  
6     *pp = new Item(val);  
7 }  
8  
9 //Complete these as an exercise  
10 template<class T> void Stack<T>::push(T) /* ... */  
11 template<class T> T Stack<T>::pop() /* ... */  
12 template<class T> Stack<T>::~Stack() /* ... */  
13  
14 int main() {  
15     Stack<char> s;  
16     s.push('a'), s.append('b'), s.pop();  
17 }
```

Template details

- ▶ A template parameter can take an integer value instead of a type:
`template<int i> class Buf { int b[i]; ... };`
- ▶ A template can take several parameters:
`template<class T,int i> class Buf { T b[i]; ... };`
- ▶ A template can even use one template parameter in the definition of a subsequent parameter:
`template<class T, T val> class A { ... };`
- ▶ A templated class is not type checked until the template is instantiated:
`template<class T> class B {const static T a=3;};`
 - ▶ `B<int> b;` is fine, but what about `B<B<int> > bi;?`
- ▶ Template definitions often need to go in a header file, since the compiler needs the source to instantiate an object

Default parameters

- ▶ Template parameters may be given default values

```
1 template <class T,int i=128> struct Buffer{  
2     T buf[i];  
3 };  
4  
5 int main() {  
6     Buffer<int> B; //i=128  
7     Buffer<int,256> C;  
8 }
```

Specialization

- ▶ The `class T` template parameter will accept any type `T`
- ▶ We can define a *specialization* for a particular type as well:

```
1 #include <iostream>  
2 class A {};  
3  
4 template<class T> struct B {  
5     void print() { std::cout << "General" << std::endl; }  
6 };  
7 template<> struct B<A> {  
8     void print() { std::cout << "Special" << std::endl; }  
9 };  
10  
11 int main() {  
12     B<A> b1;  
13     B<int> b2;  
14     b1.print(); //Special  
15     b2.print(); //General  
16 }
```

Templated functions

- ▶ A function definition can also be specified as a template; for example:

```
1 template<class T> void sort(T a[],  
2                             const unsigned int& len);
```

- ▶ The type of the template is inferred from the argument types:
`int a[] = {2,1,3}; sort(a,3);` \implies `T` is an `int`

- ▶ The type can also be expressed explicitly:
`sort<int>(a)`

- ▶ There is no such type inference for templated classes

- ▶ Using templates in this way enables:

- ▶ better type checking than using `void *`
- ▶ potentially faster code (no function pointers)
- ▶ larger binaries if `sort()` is used with data of many different types

```

1 #include <iostream>
2
3 template<class T> void sort(T a[], const unsigned int& len) {
4     T tmp;
5     for(unsigned int i=0;i<len-1;i++)
6         for(unsigned int j=0;j<len-1-i;j++)
7             if (a[j] > a[j+1]) //type T must support "operator>">
8                 tmp = a[j], a[j] = a[j+1], a[j+1] = tmp;
9 }
10
11 int main() {
12     const unsigned int len = 5;
13     int a[len] = {1,4,3,2,5};
14     float f[len] = {3.14,2.72,2.54,1.62,1.41};
15
16     sort(a,len), sort(f,len);
17     for(unsigned int i=0; i<len; i++)
18         std::cout << a[i] << "\t" << f[i] << std::endl;
19 }

```

Overloading templated functions

- ▶ Templatized functions can be overloaded with templated and non-templatized functions
- ▶ Resolving an overloaded function call uses the “most specialised” function call
- ▶ If this is ambiguous, then an error is given, and the programmer must fix by:
 - ▶ being explicit with template parameters (e.g. `sort<int>(...)`)
 - ▶ re-writing definitions of overloaded functions
- ▶ Overloading templated functions enables meta-programming:

Meta-programming example

```

1 #include <iostream>
2
3 template<unsigned int N> inline long long int fact() {
4     return N*fact<N-1>();
5 }
6
7 template<> inline long long int fact<0>() {
8     return 1;
9 }
10
11 int main() {
12     std::cout << fact<20>() << std::endl;
13 }

```

Exercises

1. Provide an implementation for:
`template<class T> T Stack<T>::pop();` and
`template<class T> Stack<T>::~Stack();`
2. Provide an implementation for:
`Stack(const Stack& s);` and
`Stack& operator=(const Stack& s);`
3. Using meta programming, write a templated class `prime`, which evaluates whether a literal integer constant (e.g. 7) is prime or not at compile time.
4. How can you be sure that your implementation of class `prime` has been evaluated at compile time?