

## Independent Set

Given a graph  $G = (V, E)$ , a subset  $X \subseteq V$  of the vertices is said to be an *independent set*, if there are no edges  $(u, v)$  for  $u, v \in X$ .

The natural algorithmic problem is, given a graph, find the largest independent set.


To turn this *optimisation problem* into a *decision problem*, we define **IND** as:

The set of pairs  $(G, K)$ , where  $G$  is a graph, and  $K$  is an integer, such that  $G$  contains an independent set with  $K$  or more vertices.

**IND** is clearly in **NP**. We now show it is **NP**-complete.

## Example

$$(x_1 \vee x_2 \vee \neg x_3) \wedge (x_3 \vee \neg x_2 \vee \neg x_1)$$



## Reduction

We can construct a reduction from **3SAT** to **IND**.

A Boolean expression  $\phi$  in **3CNF** with  $m$  clauses is mapped by the reduction to the pair  $(G, m)$ , where  $G$  is the graph obtained from  $\phi$  as follows:

$G$  contains  $m$  triangles, one for each clause of  $\phi$ , with each node representing one of the literals in the clause.

Additionally, there is an edge between two nodes in different triangles if they represent literals where one is the negation of the other.

## Clique

Given a graph  $G = (V, E)$ , a subset  $X \subseteq V$  of the vertices is called a *clique*, if for every  $u, v \in X$ ,  $(u, v)$  is an edge.

As with **IND**, we can define a decision problem version:

**CLIQUE** is defined as:

The set of pairs  $(G, K)$ , where  $G$  is a graph, and  $K$  is an integer, such that  $G$  contains a clique with  $K$  or more vertices.

## Clique 2

CLIQUE is in NP by the algorithm which *guesses* a clique and then verifies it.

CLIQUE is NP-complete, since

$\text{IND} \leq_P \text{CLIQUE}$

by the reduction that maps the pair  $(G, K)$  to  $(\bar{G}, K)$ , where  $\bar{G}$  is the complement graph of  $G$ .

## 3-Colourability

3-Colourability is in NP, as we can *guess* a colouring and verify it.

To show NP-completeness, we can construct a reduction from 3SAT to 3-Colourability.

For each variable  $x$ , have two vertices  $x, \bar{x}$  which are connected in a triangle with the vertex  $a$  (common to all variables).

In addition, for each clause containing the literals  $l_1, l_2$  and  $l_3$  we have a gadget.

## $k$ -Colourability

A graph  $G = (V, E)$  is  $k$ -colourable, if there is a function

$$\chi : V \rightarrow \{1, \dots, k\}$$

such that, for each  $u, v \in V$ , if  $(u, v) \in E$ ,


$$\chi(u) \neq \chi(v)$$

This gives rise to a decision problem for each  $k$ .

2-colourability is in P.

For all  $k > 2$ ,  $k$ -colourability is NP-complete.

## Gadget



With a further edge from  $a$  to  $b$ .