

References

- Abney, Steven (1996), Statistical methods and linguistics, in Judith Klavans & Philip Resnik (eds.), *The Balancing Act: Combining Symbolic and Statistical Approaches to Language*, The MIT Press.
- Abney, Steven (1997), Stochastic attribute-value grammars, *Computational Linguistics* 23(4):597–618.
- Arun, Abhishek & Frank Keller (2005), Lexicalization in crosslinguistic probabilistic parsing: The case of French, in *Proceedings of the 43rd Annual Meeting of the Association for Computational Linguistics*, Ann Arbor, MI, (306–313).
- Bangalore, Srinivas & Aravind Joshi (1999), Supertagging: An approach to almost parsing, *Computational Linguistics* 25(2):237–265.
- Bar-Hillel, Yehoshua (1953), A quasi-arithmetical notation for syntactic description, *Language* 29:47–58.
- Black, E., S. Abney, D. Flickenger, C. Gdaniec, R. Grishman, P. Harrison, D. Hindle, R. Ingria, F. Jelinek, J. Klavans, M. Liberman, M. Marcus, S. Roukos, B. Santorini, & T. Strzalkowski (1991), A procedure for quantitatively comparing the syntactic coverage of English grammars, in *HLT '91: Proceedings of the workshop on Speech and Natural Language*, (306–311).
- Bod, Rens (2003), An efficient implementation of a new DOP model, in *Proceedings of the 10th Meeting of the EACL*, Budapest, Hungary, (19–26).
- Brill, Eric (1993), Transformation-based error-driven parsing, in *In Proceedings of the Third International Workshop on Parsing Technologies*, Tilburg, The Netherlands.
- Briscoe, Ted & John Carroll (1993), Generalised probabilistic LR parsing of natural language (corpora) with unification-based grammars, *Computational Linguistics* 19(1):25–29.
- Briscoe, Ted & John Carroll (2006), Evaluating the accuracy of an unlexicalized statistical parser on the PARC DepBank, in *Proceedings of the Poster Session of the Joint Conference of the International Committee on Computational Linguistics and the Association for Computational Linguistics (COLING/ACL-06)*, Sydney, Australia, (41–48).
- Cahill, A., M. Burke, R. O'Donovan, J. van Genabith, & A. Way (2004), Long-distance dependency resolution in automatically acquired wide-coverage PCFG-based LFG approximations, in *Proceedings of the 42nd Meeting of the ACL*, Barcelona, Spain, (320–327).
- Carreras, Xavier, Michael Collins, & Terry Koo (2008), Dynamic programming and the perceptron for efficient, feature-rich parsing, in *Proceedings of the Twelfth Conference on Natural Language Learning (CoNLL-08)*, Manchester, UK, (9–16).
- Carroll, John, Ted Briscoe, & Antonio Sanfilippo (1998), Parser evaluation: a survey and a new proposal, in *Proceedings of the 1st LREC Conference*, Granada, Spain, (447–454).
- Charniak, Eugene (2000), A maximum-entropy-inspired parser, in *Proceedings of the 1st Meeting of the NAACL*, Seattle, WA, (132–139).
- Charniak, Eugene & Mark Johnson (2005), Coarse-to-fine n-best parsing and maximum discriminative reranking, in *Proceedings of the 43rd Meeting of the ACL*, Michigan, Ann Arbor, (173–180).

- Chen, Stanley & Ronald Rosenfeld (1999), A Gaussian prior for smoothing maximum entropy models, Technical report, Carnegie Mellon University, Pittsburgh, PA.
- Chiang, David (2000), Statistical parsing with an automatically-extracted Tree Adjoining Grammar, in *Proceedings of the 38th Meeting of the ACL*, Hong Kong, (456–463).
- Church, Kenneth & Ramesh Patil (1982), Coping with syntactic ambiguity or how to put the block in the box on the table, *American Journal of Computational Linguistics* 8(3-4):139–149.
- Clark, Stephen & James R. Curran (2003), Log-linear models for wide-coverage CCG parsing, in *Proceedings of the EMNLP Conference*, Sapporo, Japan, (97–104).
- Clark, Stephen & James R. Curran (2004), Parsing the WSJ using CCG and log-linear models, in *Proceedings of the 42nd Meeting of the ACL*, Barcelona, Spain, (104–111).
- Clark, Stephen & James R. Curran (2007a), Formalism-independent parser evaluation with CCG and DepBank, in *Proceedings of the 45th Meeting of the ACL*, Prague, Czech Republic, (248–255).
- Clark, Stephen & James R. Curran (2007b), Wide-coverage efficient statistical parsing with CCG and log-linear models, *Computational Linguistics* 33(4):493–552.
- Clark, Stephen, Mark Steedman, & James R. Curran (2004), Object-extraction and question-parsing using CCG, in *Proceedings of the EMNLP Conference*, Barcelona, Spain, (111–118).
- Collins, Michael (1996), A new statistical parser based on bigram lexical dependencies, in *Proceedings of the 34th Meeting of the ACL*, Santa Cruz, CA, (184–191).
- Collins, Michael (1997), Three generative, lexicalised models for statistical parsing, in *Proceedings of the 35th Meeting of the ACL*, Madrid, Spain, (16–23).
- Collins, Michael (1999), *Head-Driven Statistical Models for Natural Language Parsing*, Ph.D. thesis, University of Pennsylvania.
- Collins, Michael (2002), Discriminative training methods for hidden markov models: Theory and experiments with perceptron algorithms, in *Proceedings of EMNLP*, Philadelphia, USA, (1–8).
- Collins, Michael & James Brooks (1995), Prepositional phrase attachment through a backed-off model, in *Proceedings of the 3rd Workshop on Very Large Corpora*, Cambridge, MA, (27–38).
- Collins, Michael & Nigel Duffy (2002), New ranking algorithms for parsing and tagging: kernels over discrete structures, and the voted perceptron, in *Proceedings of the 40th Annual Meeting on Association for Computational Linguistics (ACL-02)*, Association for Computational Linguistics, (263–270).
- Collins, Michael, Jan Hajic, Lance Ramshaw, & Christoph Tillmann (1999), A statistical parser for czech, in *Proceedings of the 37th Meeting of the ACL*, University of Maryland, MD, (505–512).
- Collins, Michael & Brian Roark (2004), Incremental parsing with the perceptron algorithm, in *Proceedings of the 42nd Meeting of the ACL*, Barcelona, Spain, (111–118).
- Cowan, Brooke & Michael Collins (2005), Morphology and reranking for the statistical parsing of spanish, in *Proceedings of the HLT/EMNLP conference*, Vancouver, B.C., Canada, (795–802).
- Curry, Haskell B. & Robert Feys (1958), *Combinatory Logic: Vol. I*, Amsterdam, North Holland.

- Della Pietra, Stephen, Vincent Della Pietra, & John Lafferty (1997), Inducing features of random fields, *IEEE Transactions Pattern Analysis and Machine Intelligence* 19(4):380–393.
- Dubey, Amit & Frank Keller (2003), Probabilistic parsing for German using sister-head dependencies, in *Proceedings of the 41st Annual Meeting of the Association for Computational Linguistics*, Sapporo, (96–103).
- Eisner, Jason (1996), Three new probabilistic models for dependency parsing: An exploration, in *Proceedings of the 16th COLING Conference*, Copenhagen, Denmark, (340–345).
- Finkel, Jenny Rose, Alex Kleeman, & Christopher D. Manning (2008), Feature-based, conditional random field parsing, in *Proceedings of the 46th Meeting of the ACL*, Columbus, Ohio, (959–967).
- Gazdar, Gerald, Ewan Klein, Geoffrey Pullum, & Ivan Sag (1985), *Generalized Phrase Structure Grammar*, Basil Blackwell, Oxford.
- Gildea, Daniel (2001), Corpus variation and parser performance, in *2001 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, Pittsburgh, PA.
- Goodman, Joshua (1997), Probabilistic feature grammars, in *Proceedings of the International Workshop on Parsing Technologies*, Cambridge, MA.
- Harabagiu, Sanda, Dan Moldovan, Marius Pasca, Rada Mihalcea, Mihai Surdeanu, Razvan Bunescu, Roxana Girju, Vasile Rus, & Paul Morarescu (2001), The role of lexico-semantic feedback in open-domain textual question-answering, in *Proceedings of the 39th Meeting of the ACL*, Toulouse, France, (274–281).
- Hockenmaier, Julia (2003), *Data and Models for Statistical Parsing with Combinatory Categorical Grammar*, Ph.D. thesis, University of Edinburgh.
- Hockenmaier, Julia & Mark Steedman (2002a), Acquiring compact lexicalized grammars from a cleaner treebank, in *Proceedings of the Third LREC Conference*, Las Palmas, Spain, (1974–1981).
- Hockenmaier, Julia & Mark Steedman (2002b), Generative models for statistical parsing with Combinatory Categorical Grammar, in *Proceedings of the 40th Meeting of the ACL*, Philadelphia, PA, (335–342).
- Hudson, Richard (1984), *Word Grammar*, Blackwell, Oxford.
- Jelinek, F., J. Lafferty, D. Magerman, R. Mercer, A. Ratnaparkhi, & S. Roukos (1994), Decision tree parsing using a hidden derivation model, in *Proceedings of the 1994 Human Language Technology Workshop*, (272–277).
- Johnson, Mark (2002), A simple pattern-matching algorithm for recovering empty nodes and their antecedents, in *Proceedings of the 40th Meeting of the ACL*, Philadelphia, PA, (136–143).
- Johnson, Mark, Stuart Geman, Stephen Canon, Zhiyi Chi, & Stefan Riezler (1999), Estimators for stochastic ‘unification-based’ grammars, in *Proceedings of the 37th Meeting of the ACL*, University of Maryland, MD, (535–541).
- Johnson, Mark & Stefan Riezler (2000), Exploiting auxiliary distributions in stochastic unification-based grammars, in *Proceedings of the 1st Meeting of the NAACL*, Seattle, WA, (154–161).
- Kasami, J. (1965), An efficient recognition and syntax analysis algorithm for context-free languages, Technical Report AFCRL-65-758, Air Force Cambridge Research Laboratory, Bedford, MA.
- Lafferty, John, Andrew McCallum, & Fernando Pereira (2001), Conditional random fields: Probabilistic models for segmenting and labeling sequence data, in *Pro-*

- ceedings of the 18th International Conference on Machine Learning*, Williams College, MA, (282–289).
- Levy, Roger & Christopher Manning (2004), Deep dependencies from context-free statistical parsers: correcting the surface dependency approximation, in *Proceedings of the 42nd Meeting of the ACL*, Barcelona, Spain, (328–335).
- Magerman, David (1995), Statistical decision-tree models for parsing, in *Proceedings of the 33rd Meeting of the ACL*, Cambridge, MA, (276–283).
- Malouf, Robert (2002), A comparison of algorithms for maximum entropy parameter estimation, in *Proceedings of the Sixth Workshop on Natural Language Learning*, Taipei, Taiwan, (49–55).
- Malouf, Robert & Gertjan van Noord (2004), Wide coverage parsing with stochastic attribute value grammars, in *Proceedings of the IJCNLP-04 Workshop: Beyond shallow analyses - Formalisms and statistical modeling for deep analyses*, Hainan Island, China.
- Manning, Christopher & Hinrich Schutze (1999), *Foundations of Statistical Natural Language Processing*, The MIT Press, Cambridge, Massachusetts.
- Marcus, Mitchell, Beatrice Santorini, & Mary Marcinkiewicz (1993), Building a large annotated corpus of English: The Penn Treebank, *Computational Linguistics* 19(2):313–330.
- McClosky, David, Eugene Charniak, & Mark Johnson (2006), Effective self-training for parsing, in *Proceedings of the Conference on Human Language Technology and North American chapter of the Association for Computational Linguistics (HLT-N AACL)*, Brooklyn, New York, (152–159).
- McDonald, Ryan, Koby Crammer, & Fernando Pereira (2005a), Online large-margin training of dependency parsers, in *Proceedings of the 43rd Meeting of the ACL*, Michigan, Ann Arbor, (91–98).
- McDonald, Ryan, Koby Crammer, & Fernando Pereira (2005b), Spanning tree methods for discriminative training of dependency parsers, Technical report, University of Pennsylvania.
- McDonald, Ryan & Joakim Nivre (2007), Characterizing the errors of data-driven dependency parsing models, in *Proceedings of the 2007 Joint Conference on Empirical Methods in Natural Language Processing and Computational Natural Language Learning (EMNLP-CoNLL)*, Prague, Czech Republic, (122–131).
- McDonald, Ryan, Fernando Pereira, Kiril Ribarov, & Jan Hajic (2005c), Non-projective dependency parsing using spanning tree algorithms, in *Proceedings of the HLT/EMNLP conference*, Vancouver, B.C., Canada, (523–530).
- Miyao, Yusuke & Jun'ichi Tsujii (2002), Maximum entropy estimation for feature forests, in *Proceedings of the Human Language Technology Conference*, San Diego, CA.
- Miyao, Yusuke & Jun'ichi Tsujii (2005), Probabilistic disambiguation models for wide-coverage HPSG parsing, in *Proceedings of the 43rd meeting of the ACL*, University of Michigan, Ann Arbor, (83–90).
- Nivre, J., J. Hall, S. Kubler, R. McDonald, J. Nilsson, S. Riedel, & D. Yuret (2007), The CoNLL 2007 shared task on dependency parsing, in *Conference on Empirical Methods in Natural Language Processing and Natural Language Learning*.
- Nivre, J. & M. Scholz (2004), Deterministic dependency parsing of English text, in *Proceedings of COLING-04*, Geneva, Switzerland, (64–70).
- Nivre, Joakim (2007), Incremental non-projective dependency parsing, in *Proceedings of Human Language Technologies: The Annual Conference of the North*

- American Chapter of the Association for Computational Linguistics (NAACL-HLT)*, Rochester, NY, (396–403).
- Nocedal, Jorge & Stephen J. Wright (1999), *Numerical Optimization*, Springer, New York, USA.
- Ratnaparkhi, Adwait (1996), A maximum entropy part-of-speech tagger, in *Proceedings of the EMNLP Conference*, Philadelphia, PA, (133–142).
- Ratnaparkhi, Adwait (1998), *Maximum Entropy Models for Natural Language Ambiguity Resolution*, Ph.D. thesis, University of Pennsylvania.
- Ratnaparkhi, Adwait (1999), Learning to parse natural language with maximum entropy models, *Machine Learning* 34(1-3):151–175.
- Resnik, Philip (1992), Probabilistic tree-adjoining grammar as a framework for statistical natural language processing, in *Proceedings of the 14th International Conference on Computational Linguistics*, Nantes, France, (418–424).
- Riezler, Stefan, Tracy H. King, Ronald M. Kaplan, Richard Crouch, John T. Maxwell III, & Mark Johnson (2002), Parsing the Wall Street Journal using a Lexical-Functional Grammar and discriminative estimation techniques, in *Proceedings of the 40th Meeting of the ACL*, Philadelphia, PA, (271–278).
- Roark, Brian (2001), Probabilistic top-down parsing and language modeling, *Computational Linguistics* 27(2):249–276.
- Sagae, Kenji & Alon Lavie (2006), Parser combination by reparsing, in *Proceedings of the Short Papers of the Conference on Human Language Technology and North American chapter of the Association for Computational Linguistics (HLT-NAAACL)*, Brooklyn, New York, (129–132).
- Sampson, Geoffrey (1986), A stochastic approach to parsing, in *Proceedings of the 11th International Conference on Computational Linguistics*, Bonn, Germany, (151–155).
- Sarkar, Anoop & Aravind Joshi (2003), Tree-adjoining grammars and its application to statistical parsing, in Rens Bod, Remko Scha, & Khalil Sima'an (eds.), *Data-oriented parsing*, CSLI.
- Sha, Fei & Fernando Pereira (2003), Shallow parsing with conditional random fields, in *Proceedings of the HLT/NAACL conference*, Edmonton, Canada, (213–220).
- Steedman, Mark (1996), *Surface Structure and Interpretation*, The MIT Press, Cambridge, MA.
- Steedman, Mark (2000), *The Syntactic Process*, The MIT Press, Cambridge, MA.
- Steedman, Mark (2008), On becoming a discipline, *Computational Linguistics* 34(1):137–144.
- Taskar, B., D. Klein, M. Collins, D. Koller, & C. Manning (2004), Max-margin parsing, in *Proceedings of the EMNLP conference*, Barcelona, Spain, (1–8).
- Tateisi, Yuka, Akane Yakushiji, Tomoko Ohta, & Jun'ichi Tsujii (2005), Syntax annotation for the GENIA corpus, in *Proceedings of the Companion Volume of the Second International Joint Conference on Natural Language Processing (IJCNLP-05)*, Jeju Island, Korea, (222–227).
- Titov, Ivan & James Henderson (2007), A latent variable model for generative dependency parsing, in *Proceedings of the 10th International Workshop on Parsing Technologies*, Prague, Czech Republic, (144–155).
- Vadas, David & James R. Curran (2008), Parsing noun phrase structure with CCG, in *Proceedings of the 46th Meeting of the ACL*, Columbus, Ohio, (335–343).
- Wang, Mengqiu, Kenji Sagae, & Teruko Mitamura (2006), A fast, accurate deterministic parser for chinese, in *Proceedings of the Joint Conference of the In-*

- ternational Committee on Computational Linguistics and the Association for Computational Linguistics (COLING/ACL-06)*, Sydney, Australia, (425–432).
- Wood, Mary McGee (1993), *Categorial Grammars*, Routledge, London.
- Yamada, Hiroyasu & Yuji Matsumoto (2003), Statistical dependency analysis with support vector machine, in *Proceedings of the International Workshop on Parsing Technologies*, Nancy, France, (195–206).
- Younger, D. (1967), Recognition and parsing of context-free languages in time n^3 , *Information and Control* 10(2):189–208.
- Zhang, Yue & Stephen Clark (2008), A tale of two parsers: investigating and combining graph-based and transition-based dependency parsing using beam-search, in *Proceedings of the 2008 Conference on Empirical Methods in Natural Language Processing (EMNLP-08)*, Honolulu, Hawai'i, (562–571).