Outline of today's lecture

Putting sentences together (in text).

Document structure and discourse structure

- Most types of document are highly structured, implicitly or explicitly:
 - Scientific papers: conventional structure (differences between disciplines).
 - News stories: first sentence is a summary.
 - Blogs, etc etc
- Topics within documents.
- Relationships between sentences.

Rhetorical relations

Max fell. John pushed him.

can be interpreted as:

 Max fell because John pushed him. EXPLANATION

or

2 Max fell and then John pushed him. NARRATION

Implicit relationship: discourse relation or rhetorical relation because, and then are examples of cue phrases

Lecture 9: Discourse

Coherence

Discourses have to have connectivity to be coherent:

Kim got into her car. Sandy likes apples.

Can be OK in context:

Kim got into her car. Sandy likes apples, so Kim thought she'd go to the farm shop and see if she could get some.

Coherence

Discourses have to have connectivity to be coherent:

Kim got into her car. Sandy likes apples.

Can be OK in context:

Kim got into her car. Sandy likes apples, so Kim thought she'd go to the farm shop and see if she could get some.

Coherence in generation

Language generation needs to maintain coherence.

In trading yesterday: Dell was up 4.2%, Safeway was down 3.2%, HP was up 3.1%.

Better:

Computer manufacturers gained in trading yesterday: Dell was up 4.2% and HP was up 3.1%. But retail stocks suffered: Safeway was down 3.2%.

More about generation in the next lecture.

Coherence in interpretation

Discourse coherence assumptions can affect interpretation:

Kim's bike got a puncture. She phoned the AA.

Assumption of coherence (and knowledge about the AA) leads to *bike* interpreted as motorbike rather than pedal cycle.

John likes Bill. He gave him an expensive Christmas present.

If EXPLANATION - 'he' is probably Bill.
If JUSTIFICATION (supplying evidence for first sentence), 'he' is John.

Factors influencing discourse interpretation

- 1. Cue phrases.
- 2. Punctuation (also prosody) and text structure.

Max fell (John pushed him) and Kim laughed. Max fell, John pushed him and Kim laughed.

3. Real world content:

Max fell. John pushed him as he lay on the ground.

Tense and aspect.

Max fell. John had pushed him. Max was falling. John pushed him.

Hard problem, but 'surfacy techniques' (punctuation and cue phrases) work to some extent.

Rhetorical relations and summarization

Analysis of text with rhetorical relations generally gives a binary branching structure:

- nucleus and satellite: e.g., EXPLANATION, JUSTIFICATION
- equal weight: e.g., NARRATION

Max fell because John pushed him.

Rhetorical relations and summarization

Analysis of text with rhetorical relations generally gives a binary branching structure:

- nucleus and satellite: e.g., EXPLANATION, JUSTIFICATION
- equal weight: e.g., NARRATION

Max fell because John pushed him.

Summarisation by satellite removal

If we consider a discourse relation as a relationship between two phrases, we get a binary branching tree structure for the discourse. In many relationships, such as Explanation, one phrase depends on the other:

e.g., the phrase being explained is the main one and the other is subsidiary. In fact we can get rid of the subsidiary phrases and still have a reasonably coherent discourse.

Summarisation by satellite removal

If we consider a discourse relation as a relationship between two phrases, we get a binary branching tree structure for the discourse. In many relationships, such as Explanation, one phrase depends on the other: e.g., the phrase being explained is the main one and the other is subsidiary. In fact we can get rid of the subsidiary phrases and still have a reasonably coherent discourse.

Summarisation by satellite removal

If we consider a discourse relation as a relationship between two phrases, we get a binary branching tree structure for the discourse. In many relationships, such as Explanation, one phrase depends on the other: e.g., the phrase being explained is the main one and the other is subsidiary. In fact we can get rid of the subsidiary phrases and still have a reasonably coherent discourse.

We get a binary branching tree structure for the discourse. In many relationships one phrase depends on the other. In fact we can get rid of the subsidiary phrases and still have a reasonably coherent discourse.

Lecture 9: Discourse

Referring expressions

Niall Ferguson is prolific, well-paid and a snappy dresser. Stephen Moss hated him — at least until he spent an hour being charmed in the historian's Oxford study.

referent a real world entity that some piece of text (or speech) refers to. the actual Prof. Ferguson referring expressions bits of language used to perform reference by a speaker. 'Niall Ferguson', 'he', 'him' antecedent the text initially evoking a referent. 'Niall Ferguson' anaphora the phenomenon of referring to an antecedent.

Pronoun resolution

Pronouns: a type of anaphor.

Pronoun resolution: generally only consider cases which refer to antecedent noun phrases.

Niall Ferguson is prolific, well-paid and a snappy dresser. Stephen Moss hated him — at least until he spent an hour being charmed in the historian's Oxford study.

Pronoun resolution

Pronouns: a type of anaphor.

Pronoun resolution: generally only consider cases which refer to antecedent noun phrases.

Niall Ferguson is prolific, well-paid and a snappy dresser. Stephen Moss hated him — at least until he spent an hour being charmed in the historian's Oxford study.

Pronoun resolution

Pronouns: a type of anaphor.

Pronoun resolution: generally only consider cases which refer to antecedent noun phrases.

Niall Ferguson is prolific, well-paid and a snappy dresser. Stephen Moss hated him — at least until he spent an hour being charmed in the historian's Oxford study.

Hard constraints: Pronoun agreement

- A little girl is at the door see what she wants, please?
- My dog has hurt his foot he is in a lot of pain.
- * My dog has hurt his foot it is in a lot of pain.

Complications:

- ► The team played really well, but now they are all very tired.
- Kim and Sandy are asleep: they are very tired.
- Kim is snoring and Sandy can't keep her eyes open: they are both exhausted.

Hard constraints: Reflexives

- ▶ John_i cut himself_i shaving. (himself = John, subscript notation used to indicate this)
- ▶ # John_i cut him_i shaving. (i \neq j a very odd sentence)

Reflexive pronouns must be coreferential with a preceeding argument of the same verb, non-reflexive pronouns cannot be.

Hard constraints: Pleonastic pronouns

Pleonastic pronouns are semantically empty, and don't refer:

- It is snowing
- It is not easy to think of good examples.
- It is obvious that Kim snores.
- It bothers Sandy that Kim snores.

Soft preferences: Salience

- Recency Kim has a big car. Sandy has a smaller one. Lee likes to drive it.
- Grammatical role Subjects > objects > everything else: Fred went to the Grafton Centre with Bill. He bought a CD.
- Repeated mention Entities that have been mentioned more frequently are preferred.
- Parallelism Entities which share the same role as the pronoun in the same sort of sentence are preferred: Bill went with Fred to the Grafton Centre. Kim went with him to Lion Yard. Him=Fred
- Coherence effects (mentioned above)

World knowledge Sometimes inference will override soft preferences:

Andrew Strauss again blamed the batting after England lost to Australia last night. They now lead the series three-nil.

they is Australia.

But a discourse can be odd if strong salience effects are violated:

The England football team won last night. Scotland lost. ? They have qualified for the World Cup with a 100% record.

World knowledge Sometimes inference will override soft preferences:

Andrew Strauss again blamed the batting after England lost to Australia last night. They now lead the series three-nil.

they is Australia.

But a discourse can be odd if strong salience effects are violated:

The England football team won last night. Scotland lost. ? They have qualified for the World Cup with a 100% record.

Lecture 9: Discourse

Anaphora resolution as supervised classification

- Classification: training data labelled with class and features, derive class for test data based on features.
- ► For potential pronoun/antecedent pairings, class is TRUE/FALSE.
- Assume candidate antecedents are all NPs in current sentence and preceeding 5 sentences (excluding pleonastic pronouns)

Example

Niall Ferguson is prolific, well-paid and a snappy dresser. Stephen Moss hated him

— at least until he spent an hour being charmed in the historian's Oxford study.

Issues: detecting pleonastic pronouns and predicative NPs, deciding on treatment of possessives (*the historian* and *the historian's Oxford study*), named entities (e.g., *Stephen Moss*, not *Stephen* and *Moss*), allowing for cataphora, . . .

Example

Niall Ferguson is prolific, well-paid and a snappy dresser. Stephen Moss hated him

— at least until he spent an hour being charmed in the historian's Oxford study.

Issues: detecting pleonastic pronouns and predicative NPs, deciding on treatment of possessives (*the historian* and *the historian's Oxford study*), named entities (e.g., *Stephen Moss*, not *Stephen* and *Moss*), allowing for cataphora, . . .

Features

Cataphoric Binary: t if pronoun before antecedent.

Number agreement Binary: t if pronoun compatible with antecedent.

Gender agreement Binary: t if gender agreement.

Same verb Binary: t if the pronoun and the candidate antecedent are arguments of the same verb.

Sentence distance Discrete: { 0, 1, 2 ...}

Grammatical role Discrete: { subject, object, other } The role of the potential antecedent.

Parallel Binary: t if the potential antecedent and the pronoun share the same grammatical role.

Linguistic form Discrete: { proper, definite, indefinite, pronoun }

Feature vectors

pron	ante	cat	num	gen	same	dist	role	par	form
him	Niall F.	f	t	t	f	1	subj	f	prop
him	Ste. M.	f	t	t	t	0	subj	f	prop
him	he	t	t	t	f	0	subj	f	pron
he	Niall F.	f	t	t	f	1	subj	t	prop
he	Ste. M.	f	t	t	f	0	subj	t	prop
he	him	f	t	t	f	0	obj	f	pron

Algorithms for anaphora resolution

Training data, from human annotation

class	cata	num	gen	same	dist	role	par	form
TRUE	f	t	t	f	1	subj	f	prop
FALSE	f	t	t	t	0	subj	f	prop
FALSE	t	t	t	f	0	subj	f	pron
FALSE	f	t	t	f	1	subj	t	prop
TRUE	f	t	t	f	0	subj	t	prop
FALSE	f	t	t	f	0	obj	f	pron

Algorithms for anaphora resolution

Naive Bayes Classifier

Choose most probable class given a feature vector \vec{t} :

$$\hat{c} = \operatorname*{argmax}_{c \in C} P(c|\vec{f})$$

Apply Bayes Theorem:

$$P(c|\vec{f}) = \frac{P(\vec{f}|c)P(c)}{P(\vec{f})}$$

Constant denominator:

$$\hat{c} = \operatorname*{argmax}_{c \in \mathcal{C}} P(\vec{f}|c) P(c)$$

Independent feature assumption ('naive'):

$$\hat{c} = \underset{c \in C}{\operatorname{argmax}} P(c) \prod_{i=1}^{n} P(f_i|c)$$

Problems with simple classification model

- Cannot implement 'repeated mention' effect.
- Cannot use information from previous links:

Sturt think they can perform better in Twenty20 cricket. It requires additional skills compared with older forms of the limited over game.

it should refer to Twenty20 cricket, but looked at in isolation could get resolved to *Sturt*. If linkage between *they* and *Sturt*, then number agreement is pl.

Not really pairwise: really need discourse model with real world entities corresponding to clusters of referring expressions.

Evaluation

Simple approach is link accuracy. Assume the data is previously marked-up with pronouns and possible antecedents, each pronoun is linked to an antecedent, measure percentage correct. But:

- Identification of non-pleonastic pronouns and antecendent NPs should be part of the evaluation.
- Binary linkages don't allow for chains:

Sally met Andrew in town and took him to the new restaurant. He was impressed.

Multiple evaluation metrics exist because of such problems.

Classification in NLP

- Also sentiment classification, word sense disambiguation and many others. POS tagging (sequences).
- ► Feature sets vary in complexity and processing needed to obtain features. Statistical classifier allows some robustness to imperfect feature determination.
- Acquiring training data is expensive.
- ► Few hard rules for selecting a classifier: e.g., Naive Bayes often works even when independence assumption is clearly wrong (as with pronouns). Experimentation, e.g., with WEKA toolkit.

Next time

Natural language generation

- Overview of a generation system (and more about cricket).
- Generation of referring expressions.