

Anonymous Communications and Tor



Steven J. Murdoch University College London

Who needs anonymity?

- Military personnel
- · Law enforcement
- Bloggers
- Activists and whistle-blowers
- Ordinary people



Encryption doesn't work

- TLS, PGP, S/MIME only hide what is being said
- Alice uploaded a gigabyte to CNN 6 hours before footage of human rights abuses were aired
- Bob, who just joined our criminal organization sent an encrypted email to the FBI a week before our boss got arrested
- Charlie keeps browsing our website of illegal material, maybe we should give him fake data?

Encryption doesn't work

TLS, PGP, S/MIME only hide what is being said

- Alice uploaded a gigabyte to CNN 6 hours before footage of human rights abuses were aired
- Bob, who just joined our criminal organization sent an encrypted email to the FBI a week before our boss got arrested
- Charlie keeps browsing our website of illegal material, maybe we should give him fake data?

Remailers

penet.fi (1993-1996)

- Simply stripped headers off emails sent via remailer
- Allowed replies to be sent
- Easy to use, but single point of compromise
- Shut down following compromise by CoS

Type-1 (Cypherpunk)

- Mix decrypts messages
- Uses PGP

Mixmaster (1998-)

- Layered encryption
- Batching and re-ordering
- Based on Chaum Mix (1981)

Mixminion (2002-)


- Fixed many problems
- Introduced replies

penet.fi (1993-1996)


- Simply stripped headers off emails sent via remailer
- Allowed replies to be sent
- Easy to use, but single point of compromise
- Shut down following compromise by CoS

Type-1 (Cypherpunk)


- Mix decrypts messages
- Uses PGP



IIICSSAUCS




Mixmaster (1998-)




- Layered encryption
- Batching and re-ordering
- Based on Chaum Mix (1981)

Mirminian (2002)



Mixmaster (1998-)



- Layered encryption
- Batching and re-ordering
- Based on Chaum Mix (1981)

Mirminian (2002)

Senders Receivers Mix

Mixminion (2002-)

- Fixed many problems
- Introduced replies

Remailers

penet.fi (1993-1996)

- Simply stripped headers off emails sent via remailer
- Allowed replies to be sent
- Easy to use, but single point of compromise
- Shut down following compromise by CoS

Type-1 (Cypherpunk)

- Mix decrypts messages
- Uses PGP

Mixmaster (1998-)



- Layered encryption
- Batching and re-ordering
- Based on Chaum Mix (1981)

Mixminion (2002-)

- Fixed many problems
- Introduced replies

Number of users ≈

- Simply stripped headers off emails sent via remailer
- Allowed replies to be sent
- Easy to use, but single point of compromise
- Shut down following compromise by CoS

- Layered encryption
- Batching and re-ordering
- Based on Chaum Mix (1981)

Mixminion (2002-)

- Fixed many problems
- Introduced replies

Number of users ≈ 0




The Web


Web browsing is hard to secure

- Requires low latency
- High variability
- · Low tolerance to padding

Equivalent systems

Open proxies ≈ penet.fi VPN ≈ Type-0 MixMinion ≈ Tor





The Web


Web browsing is hard to secure


- Requires low latency
- High variability
- Low tolerance to padding

Equivalent systems

Equivalent systems

Open proxies ≈ penet.fi VPN ≈ Type-0 MixMinion ≈ Tor






The Web


Web browsing is hard to secure

- Requires low latency
- High variability
- · Low tolerance to padding


Equivalent systems

Open proxies ≈ penet.fi VPN ≈ Type-0 MixMinion ≈ Tor







Censorship resistance













Open problems


- Protocol obfuscation
- Scanning resistance
- Distribution mechanisms









Recurring, directly connecting Chinese Tor users (past 180 days)










Open problems

- Protocol obfuscation
- Scanning resistance
- Distribution mechanisms

Abuse










Future connections from the same user are linkable, and the user is blocked

Nymble

Server complains about ticket t1 and recieves linking token for misbehaving user






We're sorry...

... but your computer or network may be sending automated queries. To protect our users, we can't process your request right now.

To continue searching, please type the characters you see below: I'm human!



See Google Help for more information.








See Google Help for more information.

Unencrypted TCP

© 2010 Google - Google Home

Connections before complaint remain anonymous $t_0 \qquad t_1 \qquad t_2 \qquad t_3$




Nymble

Server complains about ticket **t1** and recieves linking token for misbehaving user

Abuse










Future connections from the same user are linkable, and the user is blocked

Nymble


Server complains about ticket t1 and recieves linking token for misbehaving user

Sustainability





Incentives

- Many users are unable to pay (tragedy of the commons)
- Giving better performance to users who contribute could reduce anonymity
- If money is changing hands, volunteers may give up



ability. The Tor Project eting the revenue d \$1,681,101 in 2011, in revenue (unaudi ievement. for the first






Incentives

- Many users are unable to pay (tragedy of the commons)
- Giving better performance to users who contribute could reduce anonymity
- If money is changing hands, volunteers may give up

Sustainability



Incentives

- Many users are unable to pay (tragedy of the commons)
- Giving better performance to users who contribute could reduce anonymity
- If money is changing hands, volunteers may give up