

Complexity Theory

Easter 2016

Suggested Exercises 3

1. Show that a language L is in **co-NP** if, and only if, there is a nondeterministic Turing machine M and a polynomial p such that M halts in time $p(n)$ for all inputs of length x , and L is exactly the set of strings x such that *all* computations of M on input x end in an accepting state.
2. Define a *strong* nondeterministic Turing machine as one where each computation has three possible outcomes: accept, reject or maybe. If M is such a machine, we say that it accepts L , if for every $x \in L$, every computation path of M on x ends in either accept or maybe, with at least one accept *and* for $x \notin L$, every computation path of M on x ends in reject or maybe, with at least one reject.

Show that if L is decided by a strong nondeterministic Turing machine running in polynomial time, then $L \in \mathbf{NP} \cap \mathbf{co-NP}$.

3. We saw in the lectures that if there is a one-way function, then there is a language L in **UP** that is not in **P**. Suppose that the RSA function described in the lecture notes (page 38) is a one-way function. What is the language L that can then be proved to be in $\mathbf{UP} \setminus \mathbf{P}$?
4. Consider the algorithm presented in the lecture which establishes that **Reachability** is in $\mathbf{SPACE}((\log n)^2)$. What is the time complexity of this algorithm?

Can you generalise the time bound to the entire complexity class? That is, give a class of functions F , such that

$$\mathbf{SPACE}((\log n)^2) \subseteq \bigcup_{f \in F} \mathbf{TIME}(f)$$

5. Show that, for every nondeterministic machine M which uses $O(\log n)$ work space, there is a machine R with three tapes (**input**, **work** and **output**) which works as follows. On input x , R produces on its output tape a description of the configuration graph for M, x , and R uses $O(\log |x|)$ space on its work tape.

Explain why this means that if **Reachability** is in **L**, then $\mathbf{L} = \mathbf{NL}$.

6. Consider the language L in the alphabet $\{a, b\}$ given by $L = \{a^n b^n \mid n \in \mathbf{N}\}$. $L \notin \mathbf{SPACE}(c)$ for any constant c . Why?

7. On page 42 of the notes, a number of functions are listed as being constructible. Show that this is the case by giving, for each one, a description of an appropriate Turing machine.

Prove that if f and g are constructible functions and $f(n) \geq n$, then so are $f(g)$, $f + g$, $f \cdot g$ and 2^f .

8. For any constructible function f , and any language $L \in \text{NTIME}(f(n))$, there is a nondeterministic machine M that accepts L and all of whose computations terminate in time $O(f(n))$ for all inputs of length n . Give a detailed argument for this statement, describing how M might be obtained from a machine accepting L in time $f(n)$.
9. In the lecture, a proof of the Time Hierarchy Theorem was sketched. Give a similar argument for the following Space Hierarchy Theorem:

Space Hierarchy. For every constructible function f , there is a language in $\text{SPACE}(f(n) \cdot \log f(n))$ that is not in $\text{SPACE}(f(n))$.

10. Show that, if $\text{SPACE}((\log n)^2) \subseteq \text{P}$, then $\text{L} \neq \text{P}$. (Hint: use the Space Hierarchy Theorem from Exercise 9 above.)
11. POLYLOGSPACE is the complexity class

$$\bigcup_k \text{SPACE}((\log n)^k).$$

- (a) Show that, for any k , if $A \in \text{SPACE}((\log n)^k)$ and $B \leq_L A$, then $B \in \text{SPACE}((\log n)^k)$.
- (b) Show that there are no POLYLOGSPACE -complete problems with respect to \leq_L . (Hint: use (a) and the space hierarchy theorem).
- (c) Which of the following might be true: $\text{P} \subseteq \text{POLYLOGSPACE}$, $\text{P} \supseteq \text{POLYLOGSPACE}$, $\text{P} = \text{POLYLOGSPACE}$?