

# Complexity Theory

## Lecture 11

Anuj Dawar

University of Cambridge Computer Laboratory  
Easter Term 2016

<http://www.cl.cam.ac.uk/teaching/1516/Complexity/>

## Inclusions

We have the following inclusions:

$$L \subseteq NL \subseteq P \subseteq NP \subseteq PSPACE \subseteq NPSPACE \subseteq EXP$$

where  $EXP = \bigcup_{k=1}^{\infty} TIME(2^{n^k})$

Moreover,

$$L \subseteq NL \cap \text{co-NL}$$

$$P \subseteq NP \cap \text{co-NP}$$

$$PSPACE \subseteq NPSPACE \cap \text{co-NPSPACE}$$

## Reachability

Recall the **Reachability** problem: given a *directed* graph  $G = (V, E)$  and two nodes  $a, b \in V$ , determine whether there is a path from  $a$  to  $b$  in  $G$ .

A simple search algorithm solves it:

1. mark node  $a$ , leaving other nodes unmarked, and initialise set  $S$  to  $\{a\}$ ;
2. while  $S$  is not empty, choose node  $i$  in  $S$ : remove  $i$  from  $S$  and for all  $j$  such that there is an edge  $(i, j)$  and  $j$  is unmarked, mark  $j$  and add  $j$  to  $S$ ;
3. if  $b$  is marked, accept else reject.

## NL Reachability

We can construct an algorithm to show that the Reachability problem is in NL:

1. write the index of node  $a$  in the work space;
2. if  $i$  is the index currently written on the work space:
  - (a) if  $i = b$  then accept, else  
guess an index  $j$  ( $\log n$  bits) and write it on the work space.
  - (b) if  $(i, j)$  is not an edge, reject, else replace  $i$  by  $j$  and return to (2).

$O((\log n)^2)$  space **Reachability** algorithm:

$\text{Path}(a, b, i)$

if  $i = 1$  and  $a \neq b$  and  $(a, b)$  is not an edge reject

else if  $(a, b)$  is an edge or  $a = b$  accept

else, for each node  $x$ , check:

1. is there a path  $a - x$  of length  $i/2$ ; and
2. is there a path  $x - b$  of length  $i/2$ ?

if such an  $x$  is found, then accept, else reject.

The maximum depth of recursion is  $\log n$ , and the number of bits of information kept at each stage is  $3 \log n$ .

## Savitch's Theorem

The space efficient algorithm for reachability used on the configuration graph of a nondeterministic machine shows:

$$\text{NSPACE}(f) \subseteq \text{SPACE}(f^2)$$

for  $f(n) \geq \log n$ .

This yields

$$\text{PSPACE} = \text{NPSPACE} = \text{co-NPSPACE}.$$

## Complementation

A still more clever algorithm for [Reachability](#) has been used to show that nondeterministic space classes are closed under complementation:

If  $f(n) \geq \log n$ , then

$$\text{NSPACE}(f) = \text{co-NSPACE}(f)$$

In particular

$$\text{NL} = \text{co-NL}.$$

## Logarithmic Space Reductions

We write

$$A \leq_L B$$

if there is a reduction  $f$  of  $A$  to  $B$  that is computable by a deterministic Turing machine using  $O(\log n)$  workspace (with a *read-only* input tape and *write-only* output tape).

*Note:* We can compose  $\leq_L$  reductions. So,

$$\text{if } A \leq_L B \text{ and } B \leq_L C \text{ then } A \leq_L C$$



## NP-complete Problems

Analysing carefully the reductions we constructed in our proofs of NP-completeness, we can see that SAT and the various other NP-complete problems are actually complete under  $\leq_L$  reductions.

Thus, if  $\text{SAT} \leq_L A$  for some problem  $A$  in  $L$  then not only  $P = NP$  but also  $L = NP$ .

## P-complete Problems

It makes little sense to talk of complete problems for the class  $P$  with respect to polynomial time reducibility  $\leq_P$ .

There are problems that are complete for  $P$  with respect to *logarithmic space* reductions  $\leq_L$ .

One example is  $CVP$ —the circuit value problem.

- If  $CVP \in L$  then  $L = P$ .
- If  $CVP \in NL$  then  $NL = P$ .

## CVP

**CVP** - the *circuit value problem* is, given a circuit, determine the value of the result node  $n$ .

**CVP** is solvable in polynomial time, by the algorithm which examines the nodes in increasing order, assigning a value **true** or **false** to each node.

**CVP** is complete for **P** under **L** reductions.

That is, for every language  $A$  in **P**,

$$A \leq_L \text{CVP}$$

## Reachability

Similarly, it can be shown that **Reachability** is, in fact, **NL**-complete.

For any language  $A \in \text{NL}$ , we have  $A \leq_L \text{Reachability}$

$L = \text{NL}$  if, and only if,  $\text{Reachability} \in L$

*Note:* it is known that the reachability problem for *undirected* graphs is in **L**.

## Provable Intractability

Our aim now is to show that there are languages (*or, equivalently, decision problems*) that we can prove are not in  $P$ .

This is done by showing that, for every *reasonable* function  $f$ , there is a language that is not in  $\text{TIME}(f)$ .

The proof is based on the diagonal method, as in the proof of the undecidability of the halting problem.

## Time Hierarchy Theorem

For any constructible function  $f$ , with  $f(n) \geq n$ , define the  $f$ -bounded *halting language* to be:

$$H_f = \{[M], x \mid M \text{ accepts } x \text{ in } f(|x|) \text{ steps}\}$$

where  $[M]$  is a description of  $M$  in some fixed encoding scheme.

Then, we can show

$$H_f \in \text{TIME}(f(n)^2) \text{ and } H_f \notin \text{TIME}(f(\lfloor n/2 \rfloor))$$

### Time Hierarchy Theorem

For any constructible function  $f(n) \geq n$ ,  $\text{TIME}(f(n))$  is properly contained in  $\text{TIME}(f(2n+1)^2)$ .

## Strong Hierarchy Theorems

For any constructible function  $f(n) \geq n$ ,  $\text{TIME}(f(n))$  is properly contained in  $\text{TIME}(f(n)(\log f(n)))$ .

### Space Hierarchy Theorem

For any pair of constructible functions  $f$  and  $g$ , with  $f = O(g)$  and  $g \neq O(f)$ , there is a language in  $\text{SPACE}(g(n))$  that is not in  $\text{SPACE}(f(n))$ .

Similar results can be established for nondeterministic time and space classes.

## Consequences

- For each  $k$ ,  $\text{TIME}(n^k) \neq P$ .
- $P \neq \text{EXP}$ .
- $L \neq \text{PSPACE}$ .
- Any language that is  $\text{EXP}$ -complete is not in  $P$ .
- There are no problems in  $P$  that are complete under linear time reductions.