

Complexity Theory

Lecture 7

Anuj Dawar

University of Cambridge Computer Laboratory
Easter Term 2017

<http://www.cl.cam.ac.uk/teaching/1617/Complexity/>

Sets, Numbers and Scheduling

It is not just problems about formulas and graphs that turn out to be **NP**-complete.

Literally hundreds of naturally arising problems have been proved **NP**-complete, in areas involving network design, scheduling, optimisation, data storage and retrieval, artificial intelligence and many others.

Such problems arise naturally whenever we have to construct a solution within constraints, and the most effective way appears to be an exhaustive search of an exponential solution space.

We now examine three more **NP**-complete problems, whose significance lies in that they have been used to prove a large number of other problems **NP**-complete, through reductions.

3D Matching

The decision problem of *3D Matching* is defined as:


Given three disjoint sets X , Y and Z , and a set of triples $M \subseteq X \times Y \times Z$, does M contain a matching?

I.e. is there a subset $M' \subseteq M$, such that each element of X , Y and Z appears in exactly one triple of M' ?

We can show that **3DM** is **NP**-complete by a reduction from **3SAT**.

Reduction

If a Boolean expression ϕ in **3CNF** has n variables, and m clauses, we construct for each variable v the following gadget.



In addition, for every clause c , we have two elements x_c and y_c .

If the literal v occurs in c , we include the triple

$$(x_c, y_c, z_{vc})$$

in M .

Similarly, if $\neg v$ occurs in c , we include the triple

$$(x_c, y_c, \bar{z}_{vc})$$

in M .

Finally, we include extra dummy elements in X and Y to make the numbers match up.

Exact Set Covering

Two other well known problems are proved **NP**-complete by immediate reduction from **3DM**.

Exact Cover by 3-Sets is defined by:

Given a set U with $3n$ elements, and a collection $S = \{S_1, \dots, S_m\}$ of three-element subsets of U , is there a sub-collection containing exactly n of these sets whose union is all of U ?

The reduction from **3DM** simply takes $U = X \cup Y \cup Z$, and S to be the collection of three-element subsets resulting from M .

Set Covering

More generally, we have the *Set Covering* problem:

Given a set U , a collection of $S = \{S_1, \dots, S_m\}$ subsets of U and an integer budget B , is there a collection of B sets in S whose union is U ?

Knapsack

KNAPSACK is a problem which generalises many natural scheduling and optimisation problems, and through reductions has been used to show many such problems **NP**-complete.

In the problem, we are given n items, each with a positive integer value v_i and weight w_i .

We are also given a maximum total weight W , and a minimum total value V .

Can we select a subset of the items whose total weight does not exceed W , and whose total value exceeds V ?

Reduction

The proof that **KNAPSACK** is **NP**-complete is by a reduction from the problem of Exact Cover by 3-Sets.

Given a set $U = \{1, \dots, 3n\}$ and a collection of 3-element subsets of U , $S = \{S_1, \dots, S_m\}$.

We map this to an instance of **KNAPSACK** with m elements each corresponding to one of the S_i , and having weight and value

$$\sum_{j \in S_i} (m+1)^{j-1}$$

and set the target weight and value both to

$$\sum_{j=0}^{3n-1} (m+1)^j$$

Scheduling

Some examples of the kinds of scheduling tasks that have been proved NP-complete include:

Timetable Design

Given a set H of *work periods*, a set W of *workers* each with an associated subset of H (available periods), a set T of *tasks* and an assignment $r : W \times T \rightarrow \mathbb{N}$ of *required work*, is there a mapping $f : W \times T \times H \rightarrow \{0, 1\}$ which completes all tasks?

Scheduling

Sequencing with Deadlines

Given a set T of *tasks* and for each task a *length* $l \in \mathbb{N}$, a release time $r \in \mathbb{N}$ and a deadline $d \in \mathbb{N}$, is there a work schedule which completes each task between its release time and its deadline?

Job Scheduling

Given a set T of *tasks*, a number $m \in \mathbb{N}$ of processors a length $l \in \mathbb{N}$ for each task, and an overall deadline $D \in \mathbb{N}$, is there a multi-processor schedule which completes all tasks by the deadline?

Responses to NP-Completeness

Confronted by an NP-complete problem, say constructing a timetable, what can one do?

- It's a single instance, does asymptotic complexity matter?
- What's the critical size? Is scalability important?
- Are there guaranteed restrictions on the input? Will a special purpose algorithm suffice?
- Will an approximate solution suffice? Are performance guarantees required?
- Are there useful heuristics that can constrain a search? Ways of ordering choices to control backtracking?