

Complexity Theory

Easter 2002

Suggested Exercises 4

1. Given a graph $G = (V, E)$, a set $U \subseteq V$ of vertices is called a *vertex cover* of G if, for each edge $(u, v) \in E$, either $u \in U$ or $v \in U$. That is, each edge has at least one end point in U . The decision problem **V-COVER** is defined as:

given a graph $G = (V, E)$, and an integer K , does G contain a vertex cover with K or *fewer* elements?

- (a) Show a reduction from **IND** to **V-COVER**.
 - (b) Use (a) to argue that **V-COVER** is **NP**-complete.
2. The problem of four dimensional matching, **4DM**, is defined analogously with **3DM**:

Given four sets, W, X, Y and Z , each with n elements, and a set of quadruples $M \subseteq W \times X \times Y \times Z$, is there a subset $M' \subseteq M$, such that each element of W, X, Y and Z appears in exactly one triple in M' .

Show that **4DM** is **NP**-complete.

3. Define a *strong* nondeterministic Turing machine as one where each computation has three possible outcomes: accept, reject or maybe. If M is such a machine, we say that it accepts L , if for every $x \in L$, every computation path of M on x ends in either accept or maybe, with at least one accept *and* for *not* $\in L$, every computation path of M on x ends in reject or maybe, with at least one reject.

Show that if L is decided by a strong nondeterministic Turing machine running in polynomial time, then $L \in \mathbf{NP} \cap \mathbf{co-NP}$.

4. We use $x;0^n$ to denote the string that is obtained by concatenating the string x with a separator $;$ followed by n occurrences of 0 . If $[M]$ represents the string encoding of a *non-deterministic* Turing machine M , show that the following language is **NP**-complete:

$$\{[M];x;0^n \mid M \text{ accepts } x \text{ within } n \text{ steps}\}.$$

Hint: rather than attempting a reduction from a particular **NP**-complete problem, it is easier to show this from first principles, i.e. construct a reduction for any NDTM M , and polynomial bound p .

Similarly, if $[M]$ represents the encoding of a *deterministic* Turing machine M , then

$$\{[M];x;0^n \mid M \text{ accepts } x \text{ within } n \text{ steps}\}.$$

is **P**-complete.

5. Define a *linear time reduction* to be a reduction which can be computed in time $O(n)$.
- (a) Show that there are no problems complete for **P** under linear time reductions (hint: use the Time Hierarchy Theorem).
 - (b) Show that for any fixed k , there is a polynomial time decidable language L , such that every language in **TIME**(n^k) is reducible to L (hint: construct a language similar to the one in (4) above).