

Complexity Theory

Lecture 6

Anuj Dawar

<http://www.cl.cam.ac.uk/teaching/1920/Complexity>

Clique

Given a graph $G = (V, E)$, a subset $X \subseteq V$ of the vertices is called a *clique*, if for every $u, v \in X$, (u, v) is an edge.

As with **IND**, we can define a decision problem:

CLIQUE is defined as:

The set of pairs (G, K) , where G is a graph, and K is an integer, such that G contains a clique with K or more vertices.

Clique 2

CLIQUE is in NP by the algorithm which *guesses* a clique and then verifies it.

CLIQUE is NP-complete, since

$IND \leq_P CLIQUE$

by the reduction that maps the pair (G, K) to (\bar{G}, K) , where \bar{G} is the complement graph of G .

k -Colourability

A graph $G = (V, E)$ is k -colourable, if there is a function

$$\chi : V \rightarrow \{1, \dots, k\}$$

such that, for each $u, v \in V$, if $(u, v) \in E$,

$$\chi(u) \neq \chi(v)$$

This gives rise to a decision problem for each k .

2-colourability is in P.

For all $k > 2$, k -colourability is NP-complete.

3-Colourability


3-Colourability is in NP, as we can *guess* a colouring and verify it.

To show NP-completeness, we can construct a reduction from 3SAT to 3-Colourability.

For each variable x , we have two vertices x , \bar{x} which are connected in a triangle with the vertex a (common to all variables).

In addition, for each clause containing the literals l_1 , l_2 and l_3 we have a gadget.

Gadget



With a further edge from a to b .

Hamiltonian Graphs

Recall the definition of **HAM**—the language of Hamiltonian graphs.

Given a graph $G = (V, E)$, a *Hamiltonian cycle* in G is a path in the graph, starting and ending at the same node, such that every node in V appears on the cycle *exactly once*.

A graph is called *Hamiltonian* if it contains a Hamiltonian cycle.

The language **HAM** is the set of encodings of Hamiltonian graphs.

Hamiltonian Cycle

We can construct a reduction from **3SAT** to **HAM**

Essentially, this involves coding up a Boolean expression as a graph, so that every satisfying truth assignment to the expression corresponds to a Hamiltonian circuit of the graph.

This reduction is much more intricate than the one for **IND**.

Travelling Salesman

Recall the travelling salesman problem

Given

- V — a set of nodes.
- $c : V \times V \rightarrow \mathbb{N}$ — a cost matrix.

Find an ordering v_1, \dots, v_n of V for which the total cost:

$$c(v_n, v_1) + \sum_{i=1}^{n-1} c(v_i, v_{i+1})$$

is the smallest possible.

Travelling Salesman

As with other optimisation problems, we can make a decision problem version of the Travelling Salesman problem.

The problem **TSP** consists of the set of triples

$$(V, c : V \times V \rightarrow \mathbb{N}, t)$$

such that there is a tour of the set of vertices V , which under the cost matrix c , has cost t or less.

Reduction

There is a simple reduction from **HAM** to **TSP**, mapping a graph (V, E) to the triple $(V, c : V \times V \rightarrow \mathbb{N}, n)$, where

$$c(u, v) = \begin{cases} 1 & \text{if } (u, v) \in E \\ 2 & \text{otherwise} \end{cases}$$

and n is the size of V .