Lecture 3: Goal-oriented interaction


Using cognitive theories of planning, learning and understanding to understand user behaviour, and what they find hard.

Overview of the course

- Theory driven approaches to HCI
- Design of visual displays
- Goal-oriented interaction
- Designing efficient systems
- Designing smart systems (guest lecturer)
- Designing meaningful systems (guest lecturer)
- Evaluating interactive system designs
- Designing complex systems

A *Metatheory* (in first-wave HCI): User interaction can be modelled as search


Reminder from Prolog course: problem solving using graph search



From Rice & Beresford



Turn the problem into a graph





Encode as Prolog facts to solve


```
route(a,g).
                             start(a).
route(g,I).
                             finish(u).
route(I,s).
travel(A,A).
travel(A,C):- route(A,B),travel(B,C).
solve :- start(A),finish(B), travel(A,B).
```


HCI example of a **User Goal**:


"How much did my use of Google
Cloud Platform cost me last month?"













What search algorithm is being used here?

Breadth first/Depth first?


Click targets



Click targets



[Simplified] Cognitive Walkthrough




See:

https://www.colorado.edu/ics/sites/default/files/attached-files/93-07.pdf

For a detailed description

Finding your bill?




Goal


Availability

Match


Feedback



Example: Walkthrough of an API (demo)



Example problem: Discovery



Goal

Availability

Match

Feedback


I want to delete a file

Type "File." and auto complete gives

```
void main() {
   File.
}
fromRawPath()
fromUri()
```

There's a conceptual mismatch on whether file is a static method or you have to get a file and then delete it

Example problem: 'yak shaving'



Goal

Availability

Match

Feedback

To write a line to a file

Open a file

Complete a future to get the file

Convert a string to a bytebuffer

Iterate over the bytebuffer

Write the block


Complete on the future for writing

Close the file

Complete the future for closing the file

Too many subgoals that need completing

Example (not-examinable)







Figure 2. Time to Completion by Task


The cost of thinking: Heuristics and Biases











			\bigcirc
AC	+/_	%	÷
7	8	9	×
4	5	6	
1	2	3	+
0		•	=



= AC + 2

"eh?"

How many times should the calculator user press AC?

Classical theories of metareasoning

- Optimal search
 - Find the best possible solution within stated constraints on resources
- Bounded rationality
 - Computation is one of the constraints
- Satisficing
 - Find a satisfactory solution within computation constraints

Neuro-economic models of reasoning

- Behavioural economics, popularly known as "Nudge"
- Original basis in "prospect theory" (Kahneman & Tversky)
 - General theory of decision making
 - Construct a utility model, based on outcome of possible actions
 - Weight estimated values by likelihood
 - Choose action with optimal utility
 - May include future value discounting
- In practice, the optimisation is more likely to involve satisficing, due to reasoning with bounded rationality constraints
 - In Kahneman's terms "thinking fast and slow"

Bounded rationality in humans

- Apply heuristics rather than searching for optimal plan
 - Availability heuristic reason based on examples easily to hand
 - Affect heuristic base decision on emotion rather than calculating cost / benefit
 - Representativeness heuristic judge probability based on resemblance
- Apply biases to ensure estimation error within tolerable bounds
 - Loss aversion losses hurt more than gains feel good
 - Expectation bias researchers (even in HCI) find results they expected
 - Bandwagon effect do what other people do
- And many others!

Behavioural economics in programming

- "Attention Investment theory" of abstraction use
 - Automation requires abstract specification
 - e.g. defining a regular expression for search and replace
 - Benefit of automation is saving time and concentration in future
 - But abstract specification (programming) takes time and concentration!
 - And powerful abstractions (programs) can go wrong powerfully
 - User may prefer repetitive manual operations safe and incremental
- So utility function will compare future saving of attention from programming vs costs of concentrating on a risky strategy
 - Biases such as loss aversion will apply
 - Bounded rationality will apply, since deciding what to do takes even more concentration

The limitations of goal based HCI

It assumes the user doesn't make mistakes

- Would need a cognitive model of why error occurred
 - Information loss due to cognitive limitations
 - Incorrect mental model
 - Misleading design
- Need description of user journey that accounts for problem identification, diagnosis, debugging, testing, iteration etc

It assumes the user has the right goal

- Persuasive design is a field of HCI that addresses goal formation
- Applications:
 - Reduce energy consumption
 - Promote exercise
 - Manage diet and nutrition
 - Smoking cessation
- May include "nudge" to account for biases
 - But paternalistic / patronising

It assumes the user knows what the goal is


- Not true when the purpose is an experience (third wave HCI)
- Not true in "exploratory design"

- More attention to this later in the course
- Some problems can't be decomposed into actions
- Sometimes actions have side effects

Wicked problems

A Wicked Problem:

Slowing climate change



More Wicked Problems

- Stopping the spread of antibiotic-resistant diseases
- Halting nuclear proliferation
- Ending homelessness in Cambridge
- Avoiding species extinction
- Colonizing Mars

Rittel-Webber Characteristics 1-5 of 10

- 1. There is no definitive formulation of a wicked problem
- 2. Wicked problems have no stopping rule
- 3. Solutions to wicked problems are not true-or-false, but good-or-bad
- 4. There is no immediate and no ultimate test of a solution to a wicked problem
- 5. Every solution to a wicked problem is a "one-shot operation"; because there is no opportunity to learn by trial-and-error, every attempt counts significantly

Rittel-Webber Characteristics 6-10 of 10

- 6. Wicked problems do not have an enumerable (or an exhaustively describable) set of potential solutions, nor is there a well-described set of permissible operations that may be incorporated into the plan
- 7. Every wicked problem is essentially unique
- 8. Every wicked problem can be considered to be a symptom of another problem
- 9. The existence of a discrepancy representing a wicked problem can be explained in numerous ways. The choice of explanation determines the nature of the problem's resolution
- 10. The planner has no right to be wrong

Challenge problem

"What kind of programming is happening here?"

Blog discussion of TikTok:

https://www.eugenewei.com/blog/2021/2/15/american-idle

Which links to "The greatest Tik Tok cross-over | Candy Shop broom hair"

https://youtu.be/olBED4bAsc0