

Topics in Logic and Complexity

Handout 2

Anuj Dawar

<http://www.cl.cam.ac.uk/teaching/2223/L15>

Descriptive Complexity

Descriptive Complexity provides an alternative perspective on Computational Complexity.

Computational Complexity

- Measure use of resources (space, time, *etc.*) on a machine model of computation;
- Complexity of a language—i.e. a set of strings.

Descriptive Complexity

- Complexity of a class of structures—e.g. a collection of graphs.
- Measure the complexity of describing the collection in a formal logic, using resources such as variables, quantifiers, higher-order operators, *etc.*

There is a fascinating interplay between the views.

Signature and Structure

In general a *signature* (or *vocabulary*) σ is a finite sequence of *relation*, *function* and *constant* symbols:

$$\sigma = (R_1, \dots, R_m, f_1, \dots, f_n, c_1, \dots, c_p)$$

where, associated with each relation and function symbol is an arity.

Structure

A structure \mathbb{A} over the signature σ is a tuple:

$$\mathbb{A} = (A, R_1^{\mathbb{A}}, \dots, R_m^{\mathbb{A}}, f_1^{\mathbb{A}}, \dots, f_n^{\mathbb{A}}, c_1^{\mathbb{A}}, \dots, c_n^{\mathbb{A}}),$$

where,

- A is a non-empty set, the *universe* of the structure \mathbb{A} ,
- each $R_i^{\mathbb{A}}$ is a relation over A of the appropriate arity.
- each $f_i^{\mathbb{A}}$ is a function over A of the appropriate arity.
- each $c_i^{\mathbb{A}}$ is an element of A .

First-order Logic

Formulas of *first-order logic* are formed from the signature σ and an infinite collection X of variables as follows.

terms – $c, x, f(t_1, \dots, t_a)$

Formulas are defined by induction:

- *atomic formulas* – $R(t_1, \dots, t_a), t_1 = t_2$
- *Boolean operations* – $\phi \wedge \psi, \phi \vee \psi, \neg\phi$
- *first-order quantifiers* – $\exists x\phi, \forall x\phi$

Queries

A formula ϕ with free variables among x_1, \dots, x_n defines a map Q from structures to relations:

$$Q(\mathbb{A}) = \{\mathbf{a} \mid \mathbb{A} \models \phi[\mathbf{a}]\}.$$

Any such map Q which associates to every structure \mathbb{A} a (n -ary) relation on A , and is isomorphism invariant, is called a (*n -ary query*).

Q is *isomorphism invariant* if, whenever $f : A \rightarrow B$ is an isomorphism between \mathbb{A} and \mathbb{B} , it is also an isomorphism between $(A, Q(\mathbb{A}))$ and $(B, Q(\mathbb{B}))$.

If $n = 0$, we can regard the query as a map from structures to $\{0, 1\}$ —a *Boolean query*.

Graphs

For example, take the signature (E) , where E is a binary relation symbol. Finite structures (V, E) of this signature are directed graphs.

Moreover, the class of such finite structures satisfying the sentence

$$\forall x \neg E_{xx} \wedge \forall x \forall y (E_{xy} \rightarrow E_{yx})$$

can be identified with the class of (*loop-free, undirected*) graphs.

Complexity

For a first-order sentence ϕ , we ask what is the *computational complexity* of the problem:

Input: a structure \mathbb{A}

Decide: if $\mathbb{A} \models \phi$

In other words, how complex can the collection of finite models of ϕ be?

In order to talk of the complexity of a class of finite structures, we need to fix some way of representing finite structures as strings.

Representing Structures as Strings

We use an alphabet $\Sigma = \{0, 1, \#, -\}$.

For a structure $\mathbb{A} = (A, R_1, \dots, R_m, f_1, \dots, f_l)$, fix a linear order $<$ on $A = \{a_1, \dots, a_n\}$.

R_i (of arity k) is encoded by a string $[R_i]_<$ of 0s and 1s of length n^k .

f_i is encoded by a string $[f_i]_<$ of 0s, 1s and -s of length $n^k \log n$.

$$[\mathbb{A}]_< = \underbrace{1 \cdots 1}_n \# [R_1]_< \# \cdots \# [R_m]_< \# [f_1]_< \# \cdots \# [f_l]_<$$

The exact string obtained depends on the choice of order.

Naïve Algorithm

The straightforward algorithm proceeds recursively on the structure of ϕ :

- Atomic formulas by direct lookup.
- Boolean connectives are easy.
- If $\phi \equiv \exists x \psi$ then for each $a \in \mathbb{A}$ check whether

$$(\mathbb{A}, c \mapsto a) \models \psi[c/x],$$

where c is a new constant symbol.

This runs in time $O(ln^m)$ and $O(m \log n)$ space, where m is the nesting depth of quantifiers in ϕ .

$$\text{Mod}(\phi) = \{\mathbb{A} \mid \mathbb{A} \models \phi\}$$

is in *logarithmic space* and *polynomial time*.

Complexity of First-Order Logic

The following problem:

FO satisfaction

Input: a structure \mathbb{A} and a first-order sentence ϕ

Decide: if $\mathbb{A} \models \phi$

is PSPACE-complete.

It follows from the $O(ln^m)$ and $O(m \log n)$ space algorithm that the problem is in PSPACE.

How do we prove completeness?

QBF

We define *quantified Boolean formulas* inductively as follows, from a set \mathcal{X} of *propositional variables*.

- A propositional constant T or F is a formula
- A propositional variable $X \in \mathcal{X}$ is a formula
- If ϕ and ψ are formulas then so are: $\neg\phi$, $\phi \wedge \psi$ and $\phi \vee \psi$
- If ϕ is a formula and X is a variable then $\exists X \phi$ and $\forall X \phi$ are formulas.

Say that an occurrence of a variable X is *free* in a formula ϕ if it is not within the scope of a quantifier of the form $\exists X$ or $\forall X$.

QBF

Given a quantified Boolean formula ϕ and an assignment of *truth values* to its free variables, we can ask whether ϕ evaluates to *true* or *false*. In particular, if ϕ has no free variables, then it is equivalent to either *true* or *false*.

QBF is the following decision problem:

Input: a quantified Boolean formula ϕ with no free variables.

Decide: whether ϕ evaluates to *true*.

Complexity of QBF

Note that a Boolean formula ϕ *without quantifiers* and with variables X_1, \dots, X_n is *satisfiable* if, and only if, the formula

$$\exists X_1 \cdots \exists X_n \phi \text{ is true.}$$

Similarly, ϕ is *valid* if, and only if, the formula

$$\forall X_1 \cdots \forall X_n \phi \text{ is true.}$$

Thus, $\text{SAT} \leq_L \text{QBF}$ and $\text{VAL} \leq_L \text{QBF}$ and so QBF is NP-hard and co-NP-hard.

In fact, QBF is PSPACE-complete.

PSPACE-hardness

To prove that QBF is PSPACE-hard, we want to show:

*Given a machine M with a polynomial space bound and an input x , we can define a quantified Boolean formula ϕ_x^M which evaluates to **true** if, and only if, M accepts x .*

*Moreover, ϕ_x^M can be computed from x in **polynomial time** (or even **logarithmic space**).*

The number of distinct configurations of M on input x is bounded by 2^{n^k} for some k ($n = |x|$).

Each configuration can be represented by n^k bits.

Constructing ϕ_x^M

We use tuples \mathbf{A}, \mathbf{B} of n^k Boolean variables each to encode *configurations* of M .

Inductively, we define a formula $\psi_i(\mathbf{A}, \mathbf{B})$ which is *true* if the configuration coded by \mathbf{B} is reachable from that coded by \mathbf{A} in at most 2^i steps.

$$\begin{aligned}\psi_0(\mathbf{A}, \mathbf{B}) &\equiv \text{“}\mathbf{A} = \mathbf{B}\text{”} \vee \text{“}\mathbf{A} \rightarrow_M \mathbf{B}\text{”} \\ \psi_{i+1}(\mathbf{A}, \mathbf{B}) &\equiv \exists \mathbf{Z} \forall \mathbf{X} \forall \mathbf{Y} [(\mathbf{X} = \mathbf{A} \wedge \mathbf{Y} = \mathbf{Z}) \vee (\mathbf{X} = \mathbf{Z} \wedge \mathbf{Y} = \mathbf{B}) \\ &\quad \Rightarrow \psi_i(\mathbf{X}, \mathbf{Y})] \\ \phi &\equiv \psi_{n^k}(\mathbf{A}, \mathbf{B}) \wedge \text{“}\mathbf{A} = \text{start”} \wedge \text{“}\mathbf{B} = \text{accept”}\end{aligned}$$

Reducing QBF to FO satisfaction

We have seen that *FO satisfaction* is in PSPACE.

To show that it is PSPACE-complete, it suffices to show that $\text{QBF} \leq_L \text{FO sat}$.

The reduction maps a quantified Boolean formula ϕ to a pair (\mathbb{A}, ϕ^*) where \mathbb{A} is a structure with two elements: 0 and 1 and one unary relation T with $T^{\mathbb{A}} = \{1\}$.

ϕ^* is obtained from ϕ by a simple inductive definition.

Expressive Power of FO

For any *fixed* sentence ϕ of first-order logic, the class of structures $\text{Mod}(\phi)$ is in L.

There are computationally easy properties that are not definable in first-order logic.

- There is no sentence ϕ of first-order logic such that $\mathbb{A} \models \phi$ if, and only if, $|A|$ is even.
- There is no formula $\phi(E, x, y)$ that defines the transitive closure of a binary relation E .

We will see proofs of these facts later on.

Second-Order Logic

We extend first-order logic by a set of *relational variables*.

For each $m \in \mathbb{N}$ there is an infinite collection of variables $\mathcal{V}^m = \{V_1^m, V_2^m, \dots\}$ of *arity* m .

Second-order logic extends first-order logic by allowing *second-order quantifiers*

$$\exists X \phi \quad \text{for } X \in \mathcal{V}^m$$

A structure \mathbb{A} satisfies $\exists X \phi$ if there is an m -ary relation R on the universe of \mathbb{A} such that $(\mathbb{A}, X \rightarrow R)$ satisfies ϕ .

Existential Second-Order Logic

ESO—*existential second-order logic* consists of those formulas of second-order logic of the form:

$$\exists X_1 \cdots \exists X_k \phi$$

where ϕ is a first-order formula.

Examples

Evenness

This formula is true in a structure if, and only if, the size of the domain is even.

$$\begin{aligned} \exists B \exists S \quad & \forall x \exists y B(x, y) \wedge \forall x \forall y \forall z B(x, y) \wedge B(x, z) \rightarrow y = z \\ & \forall x \forall y \forall z B(x, z) \wedge B(y, z) \rightarrow x = y \\ & \forall x \forall y S(x) \wedge B(x, y) \rightarrow \neg S(y) \\ & \forall x \forall y \neg S(x) \wedge B(x, y) \rightarrow S(y) \end{aligned}$$

Examples

Transitive Closure

This formula is true of a pair of elements a, b in a structure if, and only if, there is an E -path from a to b .

$$\begin{aligned} \exists P \quad & \forall x \forall y P(x, y) \rightarrow E(x, y) \\ & \exists x P(a, x) \wedge \exists x P(x, b) \wedge \neg \exists x P(x, a) \wedge \neg \exists x P(b, x) \\ & \forall x \forall y (P(x, y) \rightarrow \forall z (P(x, z) \rightarrow y = z)) \\ & \forall x \forall y (P(x, y) \rightarrow \forall z (P(z, y) \rightarrow x = z)) \\ & \forall x ((x \neq a \wedge \exists y P(x, y)) \rightarrow \exists z P(z, x)) \\ & \forall x ((x \neq b \wedge \exists y P(y, x)) \rightarrow \exists z P(x, z)) \end{aligned}$$

Examples

3-Colourability

The following formula is true in a graph (V, E) if, and only if, it is 3-colourable.

$$\begin{aligned} \exists R \exists B \exists G \quad & \forall x (Rx \vee Bx \vee Gx) \wedge \\ & \forall x (\neg(Rx \wedge Bx) \wedge \neg(Bx \wedge Gx) \wedge \neg(Rx \wedge Gx)) \wedge \\ & \forall x \forall y (Exy \rightarrow (\neg(Rx \wedge Ry) \wedge \\ & \quad \neg(Bx \wedge By) \wedge \\ & \quad \neg(Gx \wedge Gy))) \end{aligned}$$

Fagin's Theorem

Theorem (Fagin)

A class \mathcal{C} of finite structures is definable by a sentence of *existential second-order logic* if, and only if, it is decidable by a *nondeterministic machine* running in polynomial time.

$$\text{ESO} = \text{NP}$$

One direction is easy: Given \mathbb{A} and $\exists P_1 \dots \exists P_m \phi$.

a nondeterministic machine can guess an interpretation for P_1, \dots, P_m and then verify ϕ .

Fagin's Theorem

Given a machine M and an integer k , there is an ESO sentence ϕ such that $\mathbb{A} \models \phi$ if, and only if, M accepts $[\mathbb{A}]_{<}$, for some order $<$ in n^k steps.

We construct a *first-order* formula $\phi_{M,k}$ such that

$$(\mathbb{A}, <, \mathbf{X}) \models \phi_{M,k} \iff \mathbf{X} \text{ codes an accepting computation of } M \text{ of length at most } n^k \text{ on input } [\mathbb{A}]_{<}$$

So, $\mathbb{A} \models \exists < \exists \mathbf{X} \phi_{M,k}$ if, and only if, there is some order $<$ on \mathbb{A} so that M accepts $[\mathbb{A}]_{<}$ in time n^k .

Order

The formula $\phi_{M,k}$ is built up as the *conjunction* of a number of formulas. The first of these simply says that $<$ is a *linear order*

$$\begin{aligned} & \forall x (\neg x < x) \wedge \\ & \forall x \forall y (x < y \rightarrow \neg y < x) \wedge \\ & \forall x \forall y (x < y \vee y < x \vee x = y) \\ & \forall x \forall y \forall z (x < y \wedge y < z \rightarrow x < z) \end{aligned}$$

We can use a linear order on the elements of \mathbb{A} to define a lexicographic order on k -tuples.

Ordering Tuples

If $\mathbf{x} = x_1, \dots, x_k$ and $\mathbf{y} = y_1, \dots, y_k$ are k -tuples of variables, we use $\mathbf{x} = \mathbf{y}$ as shorthand for the formula $\bigwedge_{i \leq k} x_i = y_i$ and $\mathbf{x} < \mathbf{y}$ as shorthand for the formula

$$\bigvee_{i \leq k} \left(\left(\bigwedge_{j < i} x_j = y_j \right) \wedge x_i < y_i \right)$$

We also write $\mathbf{y} = \mathbf{x} + \mathbf{1}$ for the following formula:

$$\mathbf{x} < \mathbf{y} \wedge \forall \mathbf{z} (\mathbf{x} < \mathbf{z} \rightarrow (\mathbf{y} = \mathbf{z} \vee \mathbf{y} < \mathbf{z}))$$

Constructing the Formula

Let $M = (K, \Sigma, s, \delta)$.

The tuple \mathbf{X} of second-order variables appearing in $\phi_{M,k}$ contains the following:

- S_q a k -ary relation symbol for each $q \in K$
- T_σ a $2k$ -ary relation symbol for each $\sigma \in \Sigma$
- H a $2k$ -ary relation symbol

Intuitively, these relations are intended to capture the following:

- $S_q(\mathbf{x})$ – the state of the machine at time \mathbf{x} is q .
- $T_\sigma(\mathbf{x}, \mathbf{y})$ – at time \mathbf{x} , the symbol at position \mathbf{y} of the tape is σ .
- $H(\mathbf{x}, \mathbf{y})$ – at time \mathbf{x} , the tape head is pointing at tape cell \mathbf{y} .

We now have to see how to write the formula $\phi_{M,k}$, so that it enforces these meanings.

Initial state is s and the head is initially at the beginning of the tape.

$$\forall \mathbf{x} ((\forall \mathbf{y} \mathbf{x} \leq \mathbf{y}) \rightarrow S_s(\mathbf{x}) \wedge H(\mathbf{x}, \mathbf{x}))$$

The head is never in two places at once

$$\forall \mathbf{x} \forall \mathbf{y} (H(\mathbf{x}, \mathbf{y}) \rightarrow (\forall \mathbf{z} (\mathbf{y} \neq \mathbf{z}) \rightarrow (\neg H(\mathbf{x}, \mathbf{z}))))$$

The machine is never in two states at once

$$\forall \mathbf{x} \bigwedge_q (S_q(\mathbf{x}) \rightarrow \bigwedge_{q' \neq q} (\neg S_{q'}(\mathbf{x})))$$

Each tape cell contains only one symbol

$$\forall \mathbf{x} \forall \mathbf{y} \bigwedge_{\sigma} (T_{\sigma}(\mathbf{x}, \mathbf{y}) \rightarrow \bigwedge_{\sigma' \neq \sigma} (\neg T_{\sigma'}(\mathbf{x}, \mathbf{y})))$$

Initial Tape Contents

The initial contents of the tape are $[\mathbb{A}]_<$.

$$\begin{aligned} \forall \mathbf{x} \quad & \mathbf{x} \leq n \rightarrow T_1(\mathbf{1}, \mathbf{x}) \wedge \\ & \mathbf{x} \leq n^a \rightarrow (T_1(\mathbf{1}, \mathbf{x} + n + 1) \leftrightarrow R_1(\mathbf{x}|_a)) \\ & \dots \end{aligned}$$

where,

$$\mathbf{x} < n^a \quad : \quad \bigwedge_{i \leq (k-a)} x_i = 0$$

Note: This formula does *not* depend on the structure \mathbb{A} in any way.

The tape does not change except under the head

$$\forall \mathbf{x} \forall \mathbf{y} \forall \mathbf{z} (\mathbf{y} \neq \mathbf{z} \rightarrow (\bigwedge_{\sigma} (H(\mathbf{x}, \mathbf{y}) \wedge T_{\sigma}(\mathbf{x}, \mathbf{z}) \rightarrow T_{\sigma}(\mathbf{x} + 1, \mathbf{z})))$$

Each step is according to δ .

$$\begin{aligned} \forall \mathbf{x} \forall \mathbf{y} \bigwedge_{\sigma} \bigwedge_{q} (H(\mathbf{x}, \mathbf{y}) \wedge S_q(\mathbf{x}) \wedge T_{\sigma}(\mathbf{x}, \mathbf{y})) \\ \rightarrow \bigvee_{\Delta} (H(\mathbf{x} + 1, \mathbf{y}') \wedge S_{q'}(\mathbf{x} + 1) \wedge T_{\sigma'}(\mathbf{x} + 1, \mathbf{y})) \end{aligned}$$

where Δ is the set of all triples (q', σ', D) such that $((q, \sigma), (q', \sigma', D)) \in \delta$ and

$$y' = \begin{cases} y & \text{if } D = S \\ y - 1 & \text{if } D = L \\ y + 1 & \text{if } D = R \end{cases}$$

Finally, some accepting state is reached

$$\exists x S_{\text{acc}}(x)$$

NP

Recall that a language L is in NP if, and only if,

$$L = \{x \mid \exists y R(x, y)\}$$

where R is *polynomial-time decidable* and *polynomially-balanced*.

Fagin's theorem tells us that polynomial-time decidability can, in some sense, be replaced by *first-order definability*.

co-NP

USO—*universal second-order logic* consists of those formulas of second-order logic of the form:

$$\forall X_1 \cdots \forall X_k \phi$$

where ϕ is a first-order formula.

A corollary of Fagin's theorem is that a class \mathcal{C} of finite structures is definable by a sentence of *universal second-order logic* if, and only if, its complement is decidable by a *nondeterministic machine* running in polynomial time.

$$\text{USO} = \text{co-NP}$$

Second-Order Alternation Hierarchy

We can define further classes by allowing other second-order *quantifier prefixes*.

$$\Sigma_1^1 = \text{ESO}$$

$$\Pi_1^1 = \text{USO}$$

Σ_{n+1}^1 is the collection of properties definable by a sentence of the form:
 $\exists X_1 \cdots \exists X_k \phi$ where ϕ is a Π_n^1 formula.

Π_{n+1}^1 is the collection of properties definable by a sentence of the form:
 $\forall X_1 \cdots \forall X_k \phi$ where ϕ is a Σ_n^1 formula.

Note: every formula of second-order logic is Σ_n^1 and Π_n^1 for some n .

Polynomial Hierarchy

We have, for each n :

$$\Sigma_n^1 \cup \Pi_n^1 \subseteq \Sigma_{n+1}^1 \cap \Pi_{n+1}^1$$

The classes together form the *polynomial hierarchy* or PH.

$\text{NP} \subseteq \text{PH} \subseteq \text{PSPACE}$

$\text{P} = \text{NP}$ if, and only if, $\text{P} = \text{PH}$