

UNIVERSITY OF  
CAMBRIDGE  
COMPUTER LABORATORY



## Advanced Graphics & Image Processing

# Stereo Rendering

## Part 1/3 – depth perception

Rafał Mantiuk


*Dept. of Computer Science and Technology, University of Cambridge*

# Depth perception

---

**We see depth due to depth cues.**

**Stereoscopic depth cues:**  
binocular disparity



---

▶ The slides in this section are the courtesy of Piotr Didyk (<http://people.mpi-inf.mpg.de/~pdidyk/>)

# Depth perception

---


**We see depth due to depth cues.**

**Stereoscopic depth cues:**

binocular disparity

**Ocular depth cues:**

accommodation, vergence



# Depth perception

---

**We see depth due to depth cues.**

**Stereoscopic depth cues:**


binocular disparity

**Ocular depth cues:**



accommodation, vergence

**Pictorial depth cues:**

occlusion, size, shadows...



# Cues sensitivity



*"Perceiving layout and knowing distances: The integration, relative potency, and contextual use of different information about depth"*  
by Cutting and Vishton [1995]

# Depth perception

---

**We see depth due to depth cues.**

**Stereoscopic depth cues:**

binocular disparity

**Ocular depth cues:**

accommodation, vergence

**Pictorial depth cues:**

occlusion, size, shadows...



**Challenge:**  
Consistency is  
required!




# Simple conflict example

---

## Present cues:

- Size
- Shadows
- Perspective
- **Occlusion**



# Disparity & occlusion conflict

---

**Objects in front**





# Disparity & occlusion conflict

---

**Disparity & occlusion  
conflict**



# Depth perception

---


**We see depth due to depth cues.**

**Stereoscopic depth cues:**

binocular disparity

**Ocular depth cues:**


accommodation, vergence



**Require 3D space**  
**We cheat our Visual System!**

**Pictorial depth cues:**


occlusion, size, shadows...



**Reproducible on a flat displays**




# Cheating our HVS



# Single Image Random Dot Stereograms


---



- ▶ Fight the vergence vs. accommodation conflict to see the hidden image

# Viewing discomfort

---




# Comfort zones

---

## Comfort zone size depends on:

- Presented content
- Viewing condition

### Simple scene




# Comfort zones

---

## Comfort zone size depends on:

- Presented content
- Viewing condition

**Simple scene, user allowed to look away from screen**




# Comfort zones

---

## Comfort zone size depends on:

- Presented content
- Viewing condition

### Difficult scene






# Comfort zones

---

## Comfort zone size depends on:

- Presented content
- Viewing condition

## Difficult scene, user allowed to look away from screen




# Comfort zones

## Comfort zone size depends on:

- Presented content
- Viewing condition
- Screen distance


## Other factors:

- Distance between eyes
- Depth of field
- Temporal coherence



# Depth manipulation

---



**Viewing discomfort**  $\xrightarrow{\text{Scene manipulation}}$  **Viewing comfort**

---



UNIVERSITY OF  
CAMBRIDGE  
COMPUTER LABORATORY



**Advanced Graphics & Image Processing**

# **Stereo Rendering**

## **Part 2/3 – 3D display technologies**

Rafał Mantiuk

*Dept. of Computer Science and Technology, University of Cambridge*

# Stereoscopic displays

---


- ▶ **Stereoscopic (with glasses)**

- ▶ Anaglyphs (red & cyan glasses)
- ▶ Shutter glasses: most TV sets
- ▶ Circular polarization: RealD 3D cinema, 3D displays from LG
- ▶ Interference filters: Dolby 3D cinema

- ▶ **How do they work?**

- ▶ **Which method suffers from:**

- ▶ reduced brightness;
- ▶ distorted colours;
- ▶ cross-talk between the eyes;
- ▶ cost (to manufacture)?



# Stereoscopic displays

---



- ▶ **Auto-stereoscopic (without glasses)**

- ▶ Parallax barrier

- ▶ Example: Nintendo 3DS, some laptops and mobile phones
    - ▶ Switchable 2D/3D



- ▶ Lenticular lens

- ▶ Better efficiency
    - ▶ Non-switchable



# Light field Displays


- ▶ integral photography, e. g. [Okano98]
- ▶ micro lens-array in front of screen
- ▶ screen at focal distance of micro lenses
  - Parallel rays for each pixel
  - Each eye sees a different pixel




# Light field Displays

---


integral photograph



close-up



one particular view



- need high resolution images
- taken with micro lens array
- screen is auto-stereoscopic
  - no glasses, multiple users





UNIVERSITY OF  
CAMBRIDGE  
COMPUTER LABORATORY



**Advanced Graphics & Image Processing**

# **Stereo Rendering**

## **Part 3/3 – stereo rendering**

Rafał Mantiuk

*Dept. of Computer Science and Technology, University of Cambridge*



Put on Your 3D Glasses Now!

---

▶ The slides used in this section are the courtesy of Gordon Wetzstein.  
From Virtual Reality course: <http://stanford.edu/class/ee267/>

pinterest.com



# Anaglyph Stereo - Monochrome

- render L & R images, convert to grayscale
- merge into red-cyan anaglyph by assigning  $I(r)=L$ ,  $I(g,b)=R$  ( $I$  is anaglyph)



from movie "Bick Buck Bunny"





# Anaglyph Stereo – Full Color

- render L & R images, do not convert to grayscale
- merge into red-cyan anaglyph by assigning  $I(r)=L(r)$ ,  $I(g,b)=R(g,b)$  (I is anaglyph)



from movie "Bick Buck Bunny"





Open Source Movie: Big Buck Bunny

Rendered with Blender (Open Source 3D Modeling Program)

<http://bbb3d.renderfarming.net/download.html>









# Parallax


- ▶ Parallax is the relative distance of a 3D point projected into the 2 stereo images



case 1



case 2






case 3




# Parallax


- ▶ visual system only uses horizontal parallax, no vertical parallax!
- ▶ naïve toe-in method creates vertical parallax and visual discomfort



# Parallax – well done



## Parallax – well done



1862

“Tending wounded Union soldiers at  
Savage's Station, Virginia, during the  
Peninsular Campaign”,  
Library of Congress Prints and  
Photographs Division



Parallax – not well done (vertical parallax = unnatural)



# References

---

- ▶ LaValle "Virtual Reality", Cambridge University Press, 2016
  - ▶ Chapter 6
  - ▶ <http://vr.cs.uiuc.edu/>
- ▶ Stereoscopic displays:
  - ▶ Hainich, Rolf R., and Oliver Bimber. *Displays: Fundamentals and Applications*. 2nd ed. CRC Press, 2016.