

Lecture 3:

Goal-oriented interaction


Using cognitive theories of planning, learning and understanding to understand user behaviour, and what they find hard.

Overview of the course


- Theory driven approaches to HCI
- Design of visual displays
- **Goal-oriented interaction**
- Designing efficient systems
- Designing smart systems (guest lecturer)
- Designing meaningful systems (guest lecturer)
- Evaluating interactive system designs
- Designing complex systems

***A Metatheory* (in first-wave HCI):**
**User interaction can be modelled as
search**


To come in Prolog course (later this term): problem solving using graph search



From Rice &
Beresford



Turn the problem into a graph



Encode as Prolog facts to solve

route(a,g).

route(g,l).

route(l,s).

...

travel(A,A).

travel(A,C) :- route(A,B),travel(B,C).


solve :- start(A),finish(B), travel(A,B).

start(a).

finish(u).

HCI example of a **User Goal**:

“How much did my use of Google Cloud Platform cost me last month?”



Build What's Next Better software. Faster.

- ✓ Use Google's core infrastructure, data analytics and machine learning.
- ✓ Secure and fully featured for all enterprises.
- ✓ Committed to open source and industry leading price-performance.

GO TO CONSOLE

CONTACT SALES

Forrester Research

Google Cloud is named the Insight PaaS Leader by Forrester.

LEARN MORE →

GCP Region Expansion

Run workloads in even more locations around the world. Our newest regions: Frankfurt, São Paulo and Mumbai.


LEARN MORE →

Let's Talk About AI

Join the Cloud OnAir: The Journey From Big Data to AI global event on December 5.

LEARN MORE →

Why Google Cloud Platform?



Home - x

Secure | https://console.cloud.google.com/

Luke

Google Cloud Platform

Home

Compute Engine

App Engine

Datastore

Storage

PRODUCTS

Cloud Launcher

Billing

APIs & Services

Support

IAM & admin

Getting started

COMPUTE

App Engine

Compute Engine

Kubernetes Engine

Cloud Functions

STORAGE

Bigtable

DASHBOARD

ACTIVITY

CUSTOMIZE

Project info

Go to project settings

Resources

App Engine
2 versions

Compute Engine
1 instance

Cloud Storage
2 buckets

Trace

Latency percentiles of most requested URIs

URI	50th	90th
/rpc	63	116

Go to latency overview

Getting Started

App Engine

Summary (count/sec)

10:30 10:45 11 PM 11:15

http/server/response_count:

Go to the App Engine dashboard

Compute Engine

CPU (%)

10:30 10:45 11 PM 11:15

instance/cpu/utilization:

Go to the Compute Engine dashboard

Google Cloud Platform status

All services normal

Go to Cloud status dashboard

Billing

Estimated charges USD \$93.12

For the billing period Jan 1 - 12, 2018

View detailed charges

Error Reporting

No application errors in the last 24 hours

Go to Error Reporting

News

Stateful and ML workloads now run better on Google Kubernetes Engine with the latest version 1.9
3 hours ago

Three ways to configure robust firewall rules
6 hours ago

Why you should pick strong consistency, whenever possible
1 day ago

Home - x

Secure | <https://console.cloud.google.com>

Google Cloud Platform

Home

- Compute Engine
- App Engine
- Datastore
- Storage

PRODUCTS

- Cloud Launcher
- Billing**
- APIs & Services
- Support
- IAM & admin
- Getting started

COMPUTE

- App Engine
- Compute Engine
- Kubernetes Engine
- Cloud Functions

STORAGE

DASHBOARD

Project info

Go to project settings

Resources

- App Engine: 2 versions
- Compute Engine: 1 instance
- Cloud Storage: 2 buckets

Trace

Latency percentiles of most requested URIs

URI	50th	90th
/rpc	63	116

Go to latency overview

App Engine

Summary (count/sec)

10:30 10:45 11 PM 11:15

http/server/response_count: 10.52

Go to the App Engine dashboard

Google Cloud Platform status

All services normal

Go to Cloud status dashboard

Billing

Estimated charges USD \$93.12
For the billing period Jan 1 - 12, 2018

View detailed charges

Error Reporting

No application errors in the last 24 hours

Go to Error Reporting

News

Stateful and ML workloads now run better on Google Kubernetes Engine with the latest version 1.9
3 hours ago

Three ways to configure robust firewall rules
6 hours ago

Why you should pick strong consistency, whenever possible
1 day ago




Compute Engine

CPU (%)

10:30 10:45 11 PM 11:15

instance/cpu/utilization: 0.03

Go to the Compute Engine dashboard



What search algorithm is being used here?

Breadth first/Depth first?

Click
targets

The screenshot shows the Google Cloud Platform website with several elements highlighted by red circles to indicate click targets:

- Navigation Bar:**
 - Buttons: Why Google, Products, Solutions, Launcher, Pricing, Customers, Documentation, Support, Partners.
 - Buttons: CONSOLE, CONTACT SALES.
 - Search bar with a magnifying glass icon.
 - User profile icon (Luke) and a menu icon.
- Main Content Area:**
 - Headline: "Build What's Next Better software. Faster."
 - Checklist:
 - ✓ Use Google's core infrastructure, data analytics and machine learning.
 - ✓ Secure and fully featured for all enterprises.
 - ✓ Committed to open source and industry leading price-performance.
 - Buttons: GO TO CONSOLE, CONTACT SALES.
- Footer Section:**
 - Forrester Research:** "Google Cloud is named the Insight PaaS Leader by Forrester." Button: LEARN MORE →.
 - GCP Region Expansion:** "Run workloads in even more locations around the world. Our newest regions: Frankfurt, São Paulo and Mumbai." Button: LEARN MORE →.
 - Let's Talk About AI:** "Join the Cloud OnAir: The Journey From Big Data to AI global event on December 5." Button: LEARN MORE →.
- Bottom Section:** "Why Google Cloud Platform?"


Click
targets

The screenshot shows the Google Cloud Platform console interface. Red circles highlight the following elements:

- Navigation menu items: Compute Engine, App Engine, Datastore, Storage, Cloud Launcher, Billing, APIs & Services, Support, IAM & admin, Getting started, App Engine (under COMPUTE), Compute Engine (under COMPUTE), Kubernetes Engine, and Cloud Functions.
- Top navigation bar: Google Cloud Platform logo, search bar, and user profile.
- Dashboard tabs: DASHBOARD and ACTIVITY.
- Project info section: Go to project settings.
- Resources section: App Engine (2 versions), Compute Engine (1 instance), and Cloud Storage (2 buckets).
- App Engine summary chart: Go to the App Engine dashboard.
- Google Cloud Platform status: Go to Cloud status dashboard.
- Billing section: View detailed charges.
- Error Reporting: Go to Error Reporting.
- Trace section: Go to latency overview.
- Compute Engine CPU chart: Go to the Compute Engine dashboard.

The console displays various metrics and charts, including a line graph for App Engine response count and a line graph for Compute Engine CPU utilization. The left sidebar categorizes services into PRODUCTS, COMPUTE, and STORAGE.

[Simplified] Cognitive Walkthrough




See:

<https://www.colorado.edu/ics/sites/default/files/attached-files/93-07.pdf>

For a detailed description

Finding your bill?




Goal


Availability

Match


Feedback



Example: Walkthrough of an API (demo)



Example problem: Discovery



Goal

I want to delete a file

Availability

Type “File.” and auto complete gives


```
void main() {  
  File.  
}  
  fromRawPath()  
  fromUri()
```

There's a conceptual mismatch on whether file is a static method or you have to get a file and then delete it

Match

Feedback

Example problem: 'yak shaving'



Goal

To write a line to a file

Open a file

Complete a future to get the file

Convert a string to a bytearray

Iterate over the bytearray

Write the block

Complete on the future for writing

Close the file

Complete the future for closing the file

Availability

Match

Feedback

Too many subgoals that need completing

Example (not-examinable)







Figure 2. Time to Completion by Task

The cost of thinking: **Heuristics and Biases**




12

+




24


*




3

=






=



AC

+



2

“eh?”

(Example from Richard Young)

How many times should the
calculator user press AC?

Classical theories of metareasoning

- Optimal search
 - Find the best possible solution within stated constraints on resources
- Bounded rationality
 - Computation is one of the constraints
- Satisficing
 - Find a satisfactory solution within computation constraints

Neuro-economic models of reasoning

- Behavioural economics, sometimes applied as “nudge”
- Original basis in “prospect theory” (Kahneman & Tversky)
 - General theory of decision making
 - Construct a utility model, based on outcome of possible actions
 - Weight estimated values by likelihood
 - Choose action with optimal utility
 - May include future value discounting
- In practice, the optimisation is more likely to involve satisficing, due to reasoning with bounded rationality constraints
 - In Kahneman’s terms “thinking fast and slow”

Bounded rationality in humans

- Apply *heuristics* rather than searching for optimal plan
 - Availability heuristic - reason based on examples easily to hand
 - Affect heuristic – base decision on emotion rather than calculating cost / benefit
 - Representativeness heuristic - judge probability based on resemblance
- Apply *biases* to ensure estimation error within tolerable bounds
 - Loss aversion - losses hurt more than gains feel good
 - Expectation bias - researchers (even in HCI) find results they expected
 - Bandwagon effect - do what other people do
- And many others!

Behavioural economics in programming

- “Attention Investment theory” of abstraction use
 - Automation requires abstract specification
 - e.g. defining a regular expression for search and replace
 - Benefit of automation is saving time and concentration in future
 - But abstract specification (programming) takes time and concentration!
 - and more powerful abstractions (programs) can go wrong powerfully
 - User may *prefer* repetitive manual operations - safe and incremental
- So utility function will compare a) future saving of attention from programming vs b) costs of concentrating on a risky strategy
 - Biases such as loss aversion will apply
 - Bounded rationality will apply, since deciding what to do takes even more concentration

The limitations of goal based HCI

It assumes the user doesn't make mistakes

- Would need a cognitive model of why error occurred
 - Information loss due to cognitive limitations
 - Incorrect mental model
 - Misleading design
- Need description of user journey that accounts for problem identification, diagnosis, debugging, testing, iteration etc

It assumes the user has the right goal

- Persuasive design is a field of HCI that addresses goal formation
- Applications:
 - Reduce energy consumption
 - Promote exercise
 - Manage diet and nutrition
 - Smoking cessation
- May include “nudge” to account for biases
 - But most people see this as paternalistic / patronising

It assumes the user knows what the goal is


- Not true when the purpose is a cultural/aesthetic experience (third wave HCI) - what is my “goal” in listening to a piece of music?
- Not true in “exploratory design”
- More attention to this later in the course
- Some problems can’t be decomposed into actions
- Sometimes actions have side effects

Wicked problems

Including material provided by
Steven Tanimoto

A Wicked Problem:

Slowing climate change



More Wicked Problems

- Stopping the spread of antibiotic-resistant diseases
- Halting nuclear proliferation
- Ending homelessness in Cambridge
- Avoiding species extinction
- Colonizing Mars

Rittel-Webber Characteristics 1-5 of 10

1. There is no definitive formulation of a wicked problem
2. Wicked problems have no stopping rule
3. Solutions to wicked problems are not true-or-false, but good-or-bad
4. There is no immediate and no ultimate test of a solution to a wicked problem
5. Every solution to a wicked problem is a “one-shot operation”; because there is no opportunity to learn by trial-and-error, every attempt counts significantly

Rittel-Webber Characteristics 6-10 of 10

6. Wicked problems do not have an enumerable (or an exhaustively describable) set of potential solutions, **nor is there a well-described set of permissible operations** that may be incorporated into the plan
7. Every wicked problem is essentially unique
8. Every wicked problem can be considered to be a symptom of another problem
9. The existence of a discrepancy representing a wicked problem can be explained in numerous ways. The choice of explanation determines the nature of the problem's resolution
10. **The planner has no right to be wrong**

The programming analogy challenge 2026:

Example #2: Outlook

- Think of an email as a message (duh) as in the asynchronous model of the original object-oriented language Smalltalk
- Later OO languages implemented this as synchronous methods and member functions
- The key question for system analysis is: what state change in the receiver object is allowed/necessary?
- Outlook already has a state model for calendar maintenance
- Could AI-assisted parsing facilitate other automated workflows?
- Should they offer type verification, assertions, side effects, visibility modifiers ...