

1994 Paper 7 Question 14

Concurrency

Define what is meant by *observational equivalence* of CCS agents. [5 marks]

A transmitter T , transmission medium M , and receiver R are modelled by CCS agents with the following definitions:

$$\begin{aligned} T &\stackrel{\text{def}}{=} in.\bar{i}.T' \\ T' &\stackrel{\text{def}}{=} r.\bar{i}.T' + a.T \\ M &\stackrel{\text{def}}{=} i.M' \\ M' &\stackrel{\text{def}}{=} \bar{o}.M + \tau.\bar{r}.M \\ R &\stackrel{\text{def}}{=} o.\overline{out}.\bar{a}.R \end{aligned}$$

M is an unreliable medium: having received an input message from T (action i) it either outputs the message to R (action \bar{o}), or loses it (represented by the τ action) and then sends a request for retransmission (action \bar{r}). If R does receive the message, after broadcasting it (action \overline{out}) it sends an acknowledgement directly to T (action \bar{a}).

Calculate the transition graph of $(T|M|R) \setminus \{i, o, r, a\}$ and hence show that this agent is observationally equivalent to a simple buffer B with definition

$$B \stackrel{\text{def}}{=} in.\overline{out}.B \quad [10 \text{ marks}]$$

Are $(T|M|R) \setminus \{i, o, r, a\}$ and B observationally congruent? [3 marks]

Do the two agents have the same behaviour with respect to *divergence*, that is, the ability to perform a series of actions ending in an infinite sequence of τ -actions?

[2 marks]