

2003 Paper 9 Question 15

Topics in Concurrency

This question assumes familiarity with the higher-order process language HOPLA, which has prefix types, function types, sum types and recursive types. Subject to suitable typings, HOPLA has transitions $t \xrightarrow{p} t'$ between closed terms t, t' and action p given by the following rules:

$$\frac{t[\text{rec } x t/x] \xrightarrow{p} t'}{\text{rec } x t \xrightarrow{p} t'} \quad \frac{t_j \xrightarrow{p} t'}{\sum_{i \in I} t_i \xrightarrow{p} t'} \quad j \in I$$

$$\frac{}{.t \xrightarrow{\cdot} t} \quad \frac{u \xrightarrow{\cdot} u' \quad t[u'/x] \xrightarrow{p} t'}{[u > .x \Rightarrow t] \xrightarrow{p} t'}$$

$$\frac{t[u/x] \xrightarrow{p} t'}{\lambda x t \xrightarrow{u \mapsto p} t'} \quad \frac{t \xrightarrow{u \mapsto p} t'}{t u \xrightarrow{p} t'} \quad \frac{t \xrightarrow{p} t'}{a t \xrightarrow{a p} t'} \quad \frac{t \xrightarrow{a p} t'}{\pi_a(t) \xrightarrow{p} t'}$$

- (a) Write down the typing rule for $[u > .x \Rightarrow t]$. [2 marks]
- (b) Let t be a term of type \mathbb{P} with one free variable x of type \mathbb{Q} . Say t is *linear in x* iff for any sum of closed terms $\sum_{i \in I} u_i$ of type \mathbb{Q}

$$t[\sum_{i \in I} u_i/x] \sim_{\mathbb{P}} \sum_{i \in I} t[u_i/x].$$

(The relation $\sim_{\mathbb{P}}$ is that of bisimilarity between terms of type \mathbb{P} .)

Show from the transition semantics that the following terms, assumed well-typed and to have only x as free variable, are all linear in x :

$$\pi_a(x) \quad x u \quad [x > .y \Rightarrow u] \quad (x \text{ is not free in } u).$$

Show that the prefix term $.x$ is not linear in x . (Here you may assume that x has any type that is convenient.) [7 marks]

- (c) For u of sum type, let $[u > a.x \Rightarrow t]$ abbreviate $[\pi_a(u) > .x \Rightarrow t]$. Derive a rule for the transitions of $[u > a.x \Rightarrow t]$. [2 marks]
- (d) Describe the type you would use to interpret CCS in HOPLA. Write down a HOPLA term that realises the parallel composition of CCS. What is its type? [5 marks]
- (e) Write down the HOPLA types you would use to interpret variants of CCS (*i*) with value passing, and (*ii*) with process passing. [4 marks]