

4 Compiler Construction (tgg22)

This question explores how exceptions might be added to SLANG and the JARGON virtual machine. We will raise an exception with

```
raise e
```

where e is an expression. We will “trap” an exception with the following expression.

```
try e with f end
```

If e evaluates to a value v , then v is the result of the `try`-expression. Otherwise, the evaluation of e raises an exception E and the `try`-expression continues by evaluating the function application $f(E)$. To simplify things we will assume that each f is an identifier. Uncaught exceptions at the top-level will result in a runtime error.

- (a) Do we need to define a fixed type for exceptions? Justify your answer. [3 marks]
- (b) What typing rule or rules would you implement for the expression `raise e`? Justify your answer. [3 marks]
- (c) A compiler may rewrite expressions in order to optimise generated programs. For example, here are two rewrite rules to simplify conditional expressions:

	code	replacement
1	<code>if true then e1 else e2</code>	<code>e1</code>
2	<code>if false then e1 else e2</code>	<code>e2</code>

For each of the rules below, argue that it is, or is not, a valid optimisation rule.

	code	replacement
1	<code>raise (raise e)</code>	<code>raise e</code>
2	<code>e1 + (raise e2)</code>	<code>raise e2</code>
3	<code>try (raise e) with f end</code>	<code>f(e)</code>
4	<code>try e with (fun x -> raise x) end</code>	<code>e</code>

[6 marks]

- (d) Carefully describe the stack-oriented code you would generate for both the `raise`- and `try`-expressions. [8 marks]