

COMPUTER SCIENCE TRIPOS Part IA – 2020 – Paper 1

1 Foundations of Computer Science (avsm2)

You need to write OCaml code to help a local park ranger count the different types of trees present in a region of Cambridgeshire woodland.

- (a) Define an OCaml type `tree` that can distinguish between an *oak*, *birch* or *maple* tree, and also any other species with an arbitrary `string` name.

[1 mark]

- (b) Define two OCaml values with the following signatures:

(i) `val describe : tree -> string`
that accepts a `tree` parameter and returns a human-readable `string`.

(ii) `val identify : string -> tree`
that accepts a lowercase `string` parameter and returns a `tree`.

Explain briefly how the OCaml compiler can statically check if you have handled all the input possibilities for the input parameters to `describe` and `identify`.

[4 marks]

- (c) Define a type `stree` that only distinguishes between three species *oak*, *birch* or *maple* and no others. Implement functions for the following signatures with similar functionality to the earlier `identify` function:

```
val identify_exn : string -> stree
val identify_opt : string -> stree option
```

Briefly discuss the tradeoffs between your two approaches. [5 marks]

- (d) You now need to implement a simple simulator before starting real surveys. Trees will occur in the following fixed infinite sequence: *oak*, *birch*, *oak*, *maple*, *maple*, and then repeat from the beginning.

(i) Define a function `val spotter : unit -> stree` that will return the sequence of trees when called multiple times. [5 marks]

(ii) Define a purely functional alternative `spotter` that calculates the next `stree` in sequence, using only the input arguments to the function to calculate the return value. Write down an example application of this function with the input arguments and the expected output result. (*Hint: you may need to pass in the complete sequence as one of the arguments.*)

[5 marks]