

1 Concepts in Programming Languages (am21)

- (a) Consider a program in a simple language L which manipulates only two forms of values: 64-bit two's-complement integers and 64-bit IEEE floating-point values. L includes variables, integer and floating-point operators and constants, and conditional expressions, but no functions. It is considered a (hard) error if a bit-pattern representing a floating-point value is operated on as if it were an integer and vice versa. There are no implicit coercions, so $1 + 2.3$ would be an error. The job of both static and dynamic type checkers is to stop such errors from happening.
- (i) Explain the difference between static type checking and dynamic type checking, pointing out any compile-time or run-time costs and any differences in how variables are declared. [3 marks]
- (ii) We can say that a static type system is *sound* if whenever we have two programs S and D , differing only in whether they use static or dynamic type checking, then S passing type checking implies D executes successfully. In a sound type system, does D executing successfully imply that S passes type checking? Justify your answer for L . [2 marks]
- (b) Give three programs exemplifying failure of type soundness in existing languages. Two should involve distinct past-or-current programming languages and one should reflect the absence of checks performed by most linkers. [4 marks]
- (c) To what extent does Java use static and/or dynamic typing? [2 marks]
- (d) (i) A monad M can be seen as a type constructor for an abstract data type. Give the two operations which every monad must possess, along with their types. [3 marks]
- (ii) Now consider the monad E and the functions `f` and `safediv`, given in SML syntax by:

```
datatype a E = return a | fail
fun (fail >>= f) = fail
  | ((return v) >> f) = f v

fun f(w,x,y,z) = (w div x) div (y div z)
fun safediv(x,y) = if y<>0 then return(x div y) else fail
```

Re-code `f` as a function `g` which uses operations from monad E along with function `safediv` so that the only non-zero tests around division are within `safediv`. Remark on any difference between the types of `f` and `g`.

[6 marks]