

6 Computation Theory (amp12)

A set A equipped with a binary operation $@ : A \times A \rightarrow A$ is a *combinatory algebra* if there are elements $K, S \in A$ satisfying for all $a, b, c \in A$

$$@(@(K, a), b) = a \tag{1}$$

$$@(@(@(S, a), b), c) = @(@(a, c), @(b, c)) \tag{2}$$

(a) Show that there is a binary operation on the set of equivalence classes of closed λ -terms for the equivalence relation of β -conversion that makes it a combinatory algebra. [5 marks]

(b) Show that every combinatory algebra A contains an element I satisfying

$$@(I, a) = a \tag{3}$$

for all $a \in A$. [Hint: what does (2) tell us when $a = b = K$?] [2 marks]

(c) For an arbitrary combinatory algebra A , let $A[x]$ denote the set of expressions given by the grammar

$$e ::= x \mid \ulcorner a \urcorner \mid (ee)$$

where x is some fixed symbol not in A and a ranges over the elements of A . Given $e \in A[x]$ and $a \in A$, let $e[x := a]$ denote the element of A resulting from interpreting occurrences of x in e by a , interpreting the expressions of the form $\ulcorner a' \urcorner$ by a' and interpreting expressions of the form (ee') using $@$.

(i) Give the clauses in a definition of $e[x := a]$ by recursion on the structure of e . [2 marks]

(ii) For each $e \in A[x]$ show how to define an element $\Lambda_x e \in A$ with the property that

$$@(\Lambda_x e, a) = e[x := a] \tag{7}$$

for all $a \in A$. [6 marks]

(d) Recall the usual encoding of Booleans in λ -calculus. Using Part (c)(ii), show that in any combinatory algebra A there are elements $True, False \in A$ and a function $If : A \times A \rightarrow A$ satisfying

$$@(If(a, b), True) = a \tag{11}$$

$$@(If(a, b), False) = b \tag{12}$$

for all $a, b \in A$ [5 marks]