


Complexity Theory

Lecture 9: Cryptography


Tom Gur

<http://www.cl.cam.ac.uk/teaching/2324/Complexity>

Cryptography



Cryptography



Alice wishes to communicate with Bob without Eve eavesdropping.

Private Key

In a private key system, there are two secret keys

e – the encryption key

d – the decryption key

and two functions D and E such that:

for any x ,

$$D(E(x, e), d) = x.$$

Private Key

In a private key system, there are two secret keys

e – the encryption key

d – the decryption key

and two functions D and E such that:

for any x ,

$$D(E(x, e), d) = x.$$

Private Key

In a private key system, there are two secret keys

e – the encryption key

d – the decryption key

and two functions D and E such that:

for any x ,

$$D(E(x, e), d) = x.$$

For instance, taking $d = e$ and both D and E as *exclusive or*, we have the *one time pad*:

$$(x \oplus e) \oplus e = x$$

One Time Pad

The one time pad is provably secure, in that the only way Eve can decode a message is by knowing the key.

One Time Pad

The one time pad is provably secure, in that the only way Eve can decode a message is by knowing the key.

If the original message x and the encrypted message y are known, then so is the key:

$$e = x \oplus y$$

Public Key

In public key cryptography, the encryption key e is public, and the decryption key d is private.

We still have,
for any x ,

$$D(E(x, e), d) = x$$

If E is polynomial time computable (and it must be if communication is not to be painfully slow), then the following language is in NP:

$$\{(y, z) \mid y = E(x, e) \text{ for some } x \text{ with } x \leq_{\text{lex}} z\}$$

Thus, public key cryptography is not *provably secure* in the way that the one time pad is. It relies on the assumption that $P \neq NP$.

One Way Functions

A function f is called a *one way function* if it satisfies the following conditions:

1. f is one-to-one.

We cannot hope to prove the existence of one-way functions without at the same time proving $P \neq NP$.

It is strongly believed that the *RSA* function:

$$f(x, e, p, q) = (x^e \bmod pq, pq, e)$$

is a one-way function.

One Way Functions

A function f is called a *one way function* if it satisfies the following conditions:

1. f is one-to-one.
2. for each x , $|x|^{1/k} \leq |f(x)| \leq |x|^k$ for some k .

We cannot hope to prove the existence of one-way functions without at the same time proving $P \neq NP$.

It is strongly believed that the **RSA** function:

$$f(x, e, p, q) = (x^e \bmod pq, pq, e)$$

is a one-way function.

One Way Functions

A function f is called a *one way function* if it satisfies the following conditions:

1. f is one-to-one.
2. for each x , $|x|^{1/k} \leq |f(x)| \leq |x|^k$ for some k .
3. f is computable in polynomial time.

We cannot hope to prove the existence of one-way functions without at the same time proving $P \neq NP$.

It is strongly believed that the *RSA* function:

$$f(x, e, p, q) = (x^e \bmod pq, pq, e)$$

is a one-way function.

One Way Functions

A function f is called a *one way function* if it satisfies the following conditions:

1. f is one-to-one.
2. for each x , $|x|^{1/k} \leq |f(x)| \leq |x|^k$ for some k .
3. f is computable in polynomial time.
4. f^{-1} is *not* computable in polynomial time.

We cannot hope to prove the existence of one-way functions without at the same time proving $P \neq NP$.

It is strongly believed that the **RSA** function:

$$f(x, e, p, q) = (x^e \bmod pq, pq, e)$$

is a one-way function.

Though one cannot hope to prove that the **RSA** function is one-way without separating **P** and **NP**, we might hope to make it as secure as a proof of **NP**-completeness.

Though one cannot hope to prove that the **RSA** function is one-way without separating **P** and **NP**, we might hope to make it as secure as a proof of **NP**-completeness.

Definition

A nondeterministic machine is *unambiguous* if, for any input x , there is at most one accepting computation of the machine.

UP is the class of languages accepted by unambiguous machines in polynomial time.

Equivalently, UP is the class of languages of the form

$$\{x \mid \exists y R(x, y)\}$$

Where R is polynomial time computable, polynomially balanced, *and* for each x , there is *at most one* y such that $R(x, y)$.

UP One-way Functions

We have

$$P \subseteq UP \subseteq NP$$

UP One-way Functions

We have

$$P \subseteq UP \subseteq NP$$

It seems unlikely that there are any NP-complete problems in UP.

UP One-way Functions

We have

$$P \subseteq UP \subseteq NP$$

It seems unlikely that there are any NP-complete problems in UP.

One-way functions exist *if, and only if*, $P \neq UP$.

One-Way Functions Imply $P \neq UP$

Suppose f is a *one-way function*.

One-Way Functions Imply $P \neq UP$

Suppose f is a *one-way function*.

Define the language L_f by

$$L_f = \{(x, y) \mid \exists z(z \leq x \text{ and } f(z) = y)\}.$$

We can show that L_f is in **UP** but not in **P**.

Questions?